

Letter

Search for rare decays of the Z and Higgs bosons to a J/ψ or ψ(2S) meson and a photon in proton-proton collisions at $\sqrt{s} = 13$ TeV

The CMS Collaboration ^{*}

CERN, Geneva, Switzerland

ARTICLE INFO

Editor: M. Doser

Keywords:

CMS
SMP
Higgs
J/ψ
Photon
Rare decays

ABSTRACT

A search is presented for rare decays of the Z and Higgs bosons to a photon and a J/ψ or a ψ(2S) meson, with the charmonium state subsequently decaying to a pair of muons. The data set corresponds to an integrated luminosity of 123 fb⁻¹ of proton-proton collisions at a center-of-mass energy of 13 TeV collected with the CMS detector at the LHC. No evidence for branching fractions of these rare decay channels larger than predicted in the standard model is observed. Upper limits at 95% confidence level are set: $\mathcal{B}(H \rightarrow J/\psi\gamma) < 2.6 \times 10^{-4}$, $\mathcal{B}(H \rightarrow \psi(2S)\gamma) < 9.9 \times 10^{-4}$, $\mathcal{B}(Z \rightarrow J/\psi\gamma) < 0.6 \times 10^{-6}$, and $\mathcal{B}(Z \rightarrow \psi(2S)\gamma) < 1.3 \times 10^{-6}$. The ratio of the Higgs boson coupling modifiers κ_c/κ_γ is constrained to be in the interval (-157, +199) at 95% confidence level. Assuming $\kappa_\gamma = 1$, this interval becomes (-166, +208).

1. Introduction

The discovery of the Higgs boson by the ATLAS and CMS Collaborations in 2012 [1–3] represented a milestone in the understanding of the electroweak sector of the standard model (SM) of elementary particles [4,5], and it started a new era of precision measurements of the couplings of the Higgs boson to the other SM bosons and fermions [6,7]. New particles, postulated by theories that extend the SM, may contribute to quantum loops and modify the branching fractions of rare decays of the Higgs boson. A channel which would be sensitive to such contributions is the decay of the Higgs boson to a photon (γ) and a J/ψ or ψ(2S) meson, collectively referred to as ψ(nS), followed by the decay of the ψ(nS) meson to a pair of muons. The $H \rightarrow \psi(nS)\gamma$ decay could take place through c quark loops, as shown in Fig. 1, and thus an accurate measurement of this process would constrain the couplings of the Higgs boson to c quarks, providing complementary information to searches for Higgs boson decay to a pair of c quarks hadronizing into jets [8–10]. Although the latter has a better sensitivity to the coupling between the Higgs boson and the charm quark, the loop-mediated $H \rightarrow \psi(nS)\gamma$ is also sensitive to additional contributions that can arise in certain extensions of the SM [11,12]. Instead, the yet outstanding observation of the $Z \rightarrow \psi(nS)\gamma$ process would represent an objective that is achievable with the integrated luminosity of the HL-LHC [13].

The boson decays to ψ(nS) are considered as “rare”, as the branching fractions range between $\approx 10^{-6}$ and $\approx 10^{-8}$ [11,13–22]. On the other

hand, the branching fractions of the decays of the ψ(nS) to a pair of muons have been measured with great precision [23]. The values considered in this analysis are reported in Table 1.

The search for the decays $Z \rightarrow \psi(nS)\gamma$ and $H \rightarrow \psi(nS)\gamma$ was previously performed by both the ATLAS and CMS Collaborations using data collected in 2016 [24,25] and the ATLAS Collaboration recently updated its search using the complete Run 2 data set [26]. The present search is performed with data from proton-proton collisions at a center-of-mass energy of 13 TeV, corresponding to an integrated luminosity of 123 fb⁻¹, collected with the CMS detector during the LHC Run 2 (2016–2018).

Tabulated results are provided in the HEPData record for this analysis [27].

2. The CMS detector and event reconstruction

A detailed description of the CMS detector, together with a definition of the coordinate system used and the relevant kinematic variables, is reported in Ref. [28].

The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the magnetic volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter (ECAL), and a brass and scintillator hadron calorimeter (HCAL), each composed of a barrel and two endcap sections. The ECAL and HCAL provide pseudorapidity coverage up to $|\eta| < 3.0$, which is further extended by forward calorimeters

^{*} E-mail address: cms-publication-committee-chair@cern.ch.




Fig. 1. Leading-order Feynman diagrams of Z and Higgs boson rare decays to J/ψ or $\psi(2S)$, and a photon, through the direct (upper top) and indirect (upper bottom, lower top, and lower bottom) processes. These four diagrams are considered as the signal of this analysis.

Table 1

The SM predictions of the branching fractions of the Higgs and Z boson decays to $\psi(nS)\gamma$ used in this analysis, and measured branching fractions for the $\psi(nS) \rightarrow \mu\mu$ decays.

Process	$\mathcal{B}$	Ref.
$H \rightarrow J/\psi\gamma$	$(3.01 \pm 0.15) \times 10^{-6}$	[20]
$Z \rightarrow J/\psi\gamma$	$8.96^{+1.51}_{-1.38} \times 10^{-8}$	[18]
$H \rightarrow \psi(2S)\gamma$	$(1.03 \pm 0.06) \times 10^{-6}$	[20]
$Z \rightarrow \psi(2S)\gamma$	$4.83^{+1.02}_{-0.91} \times 10^{-8}$	[18]
$J/\psi \rightarrow \mu^-\mu^+$	$(5.961 \pm 0.033) \times 10^{-2}$	[23]
$\psi(2S) \rightarrow \mu^-\mu^+$	$(8.0 \pm 0.6) \times 10^{-3}$	[23]

to $|\eta| < 5.0$ [28]. Muons are measured in gas-ionization detectors embedded in the steel flux-return yoke outside the solenoid.

Events of interest are selected using a two-tiered trigger system. The first level, composed of custom hardware processors, uses information from the calorimeters and muon detectors to select events at a rate of around 100 kHz within a fixed latency of 4 μ s [29]. The second level, known as the high-level trigger, consists of a farm of processors running a version of the full event reconstruction software optimized for fast processing, and reduces the event rate to around 1 kHz before data storage [30].

The silicon tracker used in 2016 measured charged particles within the range $|\eta| < 2.5$. For nonisolated particles of $1 < p_T < 10$ GeV and $|\eta| < 1.4$, the track resolutions were typically 1.5% in p_T and 25–90 (45–150) μ m in the transverse (longitudinal) impact parameter [31]. At the start of 2017, a new pixel detector was installed [32]; the upgraded tracker measured particles up to $|\eta| = 3.0$ with typical resolutions of 1.5% in p_T and 20–75 μ m in the transverse impact parameter [33] for nonisolated particles of $1 < p_T < 10$ GeV.

In the barrel section of the ECAL, an energy resolution of about 1% is achieved for unconverted or late-converting photons in the tens of GeV energy range. The energy resolution of the remaining barrel photons is about 1.3% up to $|\eta| = 1$, changing to about 2.5% at $|\eta| = 1.4$. In the endcaps, the energy resolution is about 2.5% for unconverted or late-converting photons, and between 3 and 4% for the other ones [34]. Electrons mimicking photons are rejected by requiring the absence of charged particle tracks, with a hit in the innermost layer of the pixel detector not matched to a reconstructed conversion vertex, pointing to the photon cluster in the ECAL [34]. The photon energy in simulation is

corrected with a multivariate regression to match the energy resolution observed in data [35].

The efficiency to reconstruct and identify muons is greater than 96%. Matching muons to tracks measured in the silicon tracker results in a relative transverse momentum resolution, for muons with p_T up to 100 GeV, of 1% in the barrel and 3% in the endcaps [36]. The simulated muons are calibrated to match the momentum scale and resolution observed in $Z \rightarrow \mu\mu$ data.

The event reconstruction is performed with a particle-flow (PF) algorithm [37], which uses an optimized combination of information from the various elements of the CMS detector to reconstruct and identify individual particles produced in each collision. The algorithm identifies each reconstructed particle either as an electron, a muon, a photon, or a charged or neutral hadron. The PF candidates are then clustered into jets using the anti- k_T algorithm [38] implemented in the FASTJET package [39,40] with a distance parameter $R = 0.4$. The charged component of the pileup contribution is removed from jets by applying the charged-hadron subtraction (CHS) mitigation algorithm [41]. Jets that originate from b quarks are identified with the DEEPCSV b tagging algorithm [42], which uses the tracks and secondary vertices associated with the jets as inputs to a neural network. The working point considered in this search provides a b jet tagging efficiency of 70%, and a misidentification rate in a sample of quark and gluon jets of about 1% [42].

3. Data and simulated samples

The data used in this search have been collected with a trigger algorithm that selects events with at least one muon with $p_T > 17$ GeV and one photon with transverse energy $E_T > 30$ GeV. This trigger collected data with an integrated luminosity of 123 fb^{-1} .

The $Z/H \rightarrow \psi(nS)\gamma$ signal Monte Carlo (MC) events are simulated at leading order (LO) accuracy in QCD with the MADGRAPH5_aMC@NLO v2.6.5 matrix element generator [43], directly including the spin correlations [44] using a model based on Refs. [17,18] instead of reweighting the simulated events as in previous analyses [24–26]. Whereas the Z boson production is simulated through quark-antiquark annihilation ($q\bar{q} \rightarrow Z$), the simulation of the H boson production is performed separately for each production mode, namely through gluon-fusion (ggF), vector-boson fusion (VBF), vector boson associated production (WH and ZH), and bottom- and top-quark associated production ($b\bar{b}H$ and $t\bar{t}H$). The Higgs boson mass is set to 125 GeV. For each boson and production mode, two different samples are generated, with the Z and H bosons decaying to $J/\psi\gamma$ or $\psi(2S)\gamma$, where the $\psi(nS)$ decays to a pair of muons.

Cascade decays $\psi(2S) \rightarrow J/\psi + X \rightarrow \mu\mu + X$, even though they provide a nonnegligible number of events compared with the direct decays $\psi(2S) \rightarrow \mu\mu$, are not considered in this analysis because the momentum carried away by the additional particles (X) makes their invariant mass $m_{\mu\mu\gamma}$ nonresonant and shifts it towards smaller $m_{\mu\mu\gamma}$ values, not contributing to the peak of the expected signal.

The Z boson cross section is calculated at next-to-next-to-LO (NNLO) using FEWZ v3.1 [45]. The Higgs boson cross section is normalized to a theoretical prediction at up to next-to-NNLO [14]. The branching fractions used are listed in Table 1. The Z boson produced through VBF has a cross section that is several orders of magnitude smaller than the $q\bar{q}$ production mechanism, and is therefore considered negligible.

The SM electroweak backgrounds include resonant processes that produce a pair of muons and a photon, which consist of Z and H bosons that decay through quark loops without the intermediate resonant $c\bar{c}$ state, referred to as “Dalitz decays”, and Z boson decays to a pair of muons with a final-state radiation photon. Both processes are generated at next-to-LO (NLO) in QCD with the MADGRAPH5_aMC@NLO event generator. The decay of a Higgs boson into two muons with a photon radiated from one of the muons represents another potential source of background, but its contribution is negligible.

In all simulated samples, parton showering and hadronization processes are simulated by interfacing the event generators with PYTHIA 8.230 with the CP5 underlying event tune [46]. The NNPDF3.1 NNLO [47,48] parton distribution functions (PDFs) are used to model the momentum distribution of the colliding partons inside the protons. The generated events include additional proton-proton interactions within the same or adjacent bunch crossings (pileup) with a distribution that matches that observed in the data. The response of the CMS detector to the generated particles is modeled using the GEANT4 toolkit [49]. Simulated events are reconstructed with the same algorithms used for data.

4. Event selection

Events are required to contain at least two reconstructed muons with $p_T > 18$ and 5 GeV, respectively, fulfilling the *medium* identification requirement [36], and at least one photon with $p_T > 32$ GeV passing a multivariate identification criteria that is 80% efficient for signal photons [35]. Both the muons and the photon are required to be isolated from other hadronic activity in the event. If more than two muons are present in the same event, the opposite-sign pair with the smallest $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$ distance is chosen.

The observable used for signal extraction in this search is the invariant mass $m_{\mu\mu\gamma}$. Events are separated into three regions based on the invariant mass $m_{\mu\mu}$: (i) events with $3.0 < m_{\mu\mu} < 3.2$ GeV are considered to be J/ψ candidates and belong to a signal region (SR) called SR1; (ii) events with $3.60 < m_{\mu\mu} < 3.75$ GeV are assumed to originate from a $\psi(2S)$ state and belong to a separate signal region SR2; and (iii) events that do not belong to either SR1 or SR2, but satisfy $2 < m_{\mu\mu} < 8$ GeV, are a control region (CR) that is used to constrain the resonant $m_{\mu\mu\gamma}$ background.

Depending on the signal process, additional categories are defined to exploit distinct physical features. Three categories maximize the sensitivity to the main Higgs boson production modes: (i) the VBF category contains events with at least one pair of jets with $p_T > 30$ (50) GeV in the central (forward) regions of the detector with an invariant mass larger than 350 GeV; (ii) the heavy-flavor (HF) category contains events with at least one b tagged jet with $p_T > 30$ GeV and $|\eta| < 2.4$ and targets the Higgs boson production in association with bottom and top quarks; (iii) events that do not belong to the previous categories constitute the ggF category. The data set we used does not contain enough events for a dedicated category targeting leptonic decays of the W or Z boson.

The same categorization is not applicable to the Z boson search since the Z boson is predominantly produced through $q\bar{q}$ annihilation.

Instead, the Z, $\psi(nS)$, and γ spin correlations are used to build a multivariate likelihood discriminator (LD) to separate the $Z \rightarrow J/\psi\gamma$ signal from the main background. The input variables of the discriminator are: the cosine of the angle between the momentum directions of the J/ψ boson and of the beam in the rest frame of the Z boson ($\cos\theta^*$), the angle between the momentum directions of the positively charged muon and the J/ψ in the rest frame of the J/ψ ($\cos\theta_1$), which is sensitive to the transverse polarization of the J/ψ along its momentum direction, and the angle between the decay plane of the two muons and the plane of the J/ψ and the photon (ϕ_1). Since these variables are uncorrelated with each other and from $m_{\mu\mu}$ and $m_{\mu\mu\gamma}$, a selection on the discriminator output does not alter the shape of the $m_{\mu\mu\gamma}$ distribution. The LD is used to define two categories, denoted as high-purity (Z-HP) and low-purity (Z-LP) categories, which contain events with an LD score larger or smaller than 0.5, respectively. The discriminator is applied to only the $Z \rightarrow J/\psi\gamma$ category to separate the signal and the background. In the $H \rightarrow J/\psi\gamma$ ggF region, most of the discriminating power comes from the $|\cos\theta^*|$ variable. Thus, this variable is used in place of the LD to define high-purity (ggF-HP) and low-purity (ggF-LP) categories, containing events with a $|\cos\theta^*|$ value larger or smaller than 0.5, respectively. Because of the limited number of events in the other signal regions, the LD categorization or the angular selections are not applied.

The selections used to divide events into the eight signal regions and the control region are summarized in Table 2.

5. Signal and background modeling

Backgrounds are separated into two classes. The electroweak-induced backgrounds are composed of Dalitz decays of the Higgs boson and $Z \rightarrow \mu\mu$ events with final-state radiation, and are modeled with MC simulation. The QCD multijet production, which does not exhibit a resonant shape in $m_{\mu\mu\gamma}$, is estimated from data with parametric functions.

The resonant backgrounds and the signals appear as resonances in the $m_{\mu\mu\gamma}$ distribution and are modeled with double-sided Crystal Ball (DSCB) functions [50], which consist of a Gaussian core and two power-law functions that describe the lower and upper tails, below and above a certain threshold. An alternative Voigt distribution, which consists of a convolution of a Gaussian with a Cauchy-Lorentzian, is also evaluated. Both functions are able to describe the resonant shape, but the DSCB is chosen because of its better modeling of the lower tails. The Gaussian core of the DSCB fitted to the H boson signal is dominated by the measurement resolution and has a relative width of 1%. The Z boson signal width, instead, is dominated by the natural width of the Z resonance.

The nonresonant background is modeled separately for each category directly from data using parametric functions to describe the $m_{\mu\mu\gamma}$ distribution. Several choices of function families are considered in the statistical analysis and, for each family, models with different numbers of parameters are included. These functions are: power-law and exponential with a number of parameters between 1 and 4; Bernstein polynomials with a number of parameters between 3 and 5. For each function family, a procedure based on the Fisher F-test [51] starts from the simplest functional form and checks iteratively, using a confidence level of 95%, if additional parameters are needed to model the background distributions.

The measured $m_{\mu\mu\gamma}$ distributions are well modeled by the background parametric functions, as shown in Figs. 2–4. The width of the mass bins is chosen according to the experimental mass resolution.

6. Systematic uncertainties

Systematic uncertainties include the modeling of the backgrounds, the detector simulation, the integrated luminosity, and the theoretical prediction of the signal production mechanism.

The uncertainty related to the choice of function used to model the QCD multijet background is addressed by introducing the *discrete profiling* method [52]. This method considers all function families listed in

Table 2

Summary of the selections of the seven signal regions (SRs) and the control region (CR). The SR1 category requires an $m_{\mu\mu}$ value compatible with the J/ψ mass hypothesis, and is further divided depending on the value of the LD variable (Z-HP, Z-LP), the Higgs boson production mode (ggF, VBF, HF), and the value of the $\cos\theta^*$ variable (ggF-HP, ggF-LP). The SR2 category requires a $m_{\mu\mu}$ value compatible with the $\psi(2S)$ mass hypothesis and is not further categorized. The CR category is made orthogonal to the SRs by vetoing $m_{\mu\mu}$ values compatible with the $\psi(nS)$ mass hypotheses.

	SR1						SR2	CR
	Z-HP	Z-LP	ggF-HP	ggF-LP	VBF	HF		
$p_T(\mu_1)$	>18 GeV							
$p_T(\mu_2)$	>5 GeV							
$p_T(\gamma)$	>32 GeV							
$ \eta(\mu_{1,2}) $	<2.4							
$ \eta^* $	<2.5, excluding ECAL transition region							
$m_{\mu\mu}$ (GeV)	[3.0, 3.2]						[3.6, 3.75]	[2.0, 3.0], [3.2, 3.6], [3.75, 8.0]
$ \cos\theta^* $	—	—	>0.5	<0.5	—	—	—	—
LD	>0.5	<0.5	—	—	—	—	—	—
b jets	—	—	0	0	0	≥ 1	—	—
VBF candidates ($m_{jj} > 350$ GeV)	—	—	0	0	≥ 1	0	—	—




Fig. 2. The upper panels show the background-only fit using the power-law, exponential, and Bernstein polynomial functions with the optimal number of parameters determined with the F-test, and ranked according to the fit χ^2 . The resonant background contributions are added with the normalization fixed to the SM expectation. The vertical error bars on the data points show the statistical uncertainty. The bottom panels show the pulls for the fit result for the model with lowest χ^2 . Upper left: $H \rightarrow J/\psi\gamma$ ggF-HP category. Upper right: $H \rightarrow J/\psi\gamma$ ggF-LP category. Lower left: $H \rightarrow J/\psi\gamma$ VBF category. Lower right: $H \rightarrow J/\psi\gamma$ HF category.




Fig. 3. The upper panels show the background-only fit using the power-law, exponential, and Bernstein polynomial functions with the optimal number of parameters determined with the F-test, and ranked according to the fit χ^2 . The resonant background contributions are added with the normalization fixed to the SM expectation. The vertical error bars on the data points show the statistical uncertainty. The bottom panels show the pulls for the fit result for the model with lowest χ^2 . Upper left: $Z \rightarrow J/\psi\gamma$ HP category. Upper right: $Z \rightarrow J/\psi\gamma$ LP category. Lower left: $H \rightarrow \psi(2S)\gamma$ category. Lower right: $Z \rightarrow \psi(2S)\gamma$ category.

Section 5, with the number of free parameters determined with an F-test, and fitted to the appropriate $m_{\mu\mu\gamma}$ distribution in each category by minimizing the negative logarithm of the likelihood multiplied by two (2NLL). The functions with resulting fit p -values smaller than 0.05 (and that, hence, do not fit the data sufficiently well) are discarded. A unitary penalty term is added to the 2NLL to account for the number of floating parameters in each candidate function. The envelope of the 2NLL profiles for each function considered, as a function of the signal strength, is then used to determine the best-fit value and the corresponding uncertainty in the parameter of interest. The outcome of this procedure is that the selection of the background function is treated as a discrete nuisance parameter in the fit to account for the uncertainty associated with the arbitrariness of this choice.

An additional uncertainty is introduced to cover potential biases in the choice of the function used to model the signal and the resonant backgrounds. An alternate Voigtian function is used and the difference in the fitted signal strength, which is always smaller than 1%, is considered as an uncertainty.

The experimental systematic uncertainties affecting the signal normalization include the reconstruction and selection efficiency of the

muons and the photon, amounting to 2.0 and 1.5%, respectively. The muon momentum scale and resolution calibration uncertainties are propagated to the $m_{\mu\mu\gamma}$ distribution, and have an effect of 0.05 and 0.80% on the Gaussian mean and width used to model the simulated samples, respectively. Similarly, the photon energy scale and photon energy resolution result in a 3.4 and 1.8% uncertainty in the Gaussian width, respectively. The jet energy scale and resolution uncertainties affect the Higgs boson normalization in the VBF category by 2.9 and 1.0%, respectively, while the jet b tagging efficiency uncertainty is 5.4% in the HF category. The effect of these uncertainties is negligible elsewhere. The uncertainty in the efficiency of the trigger is less than 3.2%. During the 2016 and 2017 data-taking periods, a gradual shift in the timing of the inputs of the ECAL L1 trigger in the $|\eta| > 2.0$ region caused a specific trigger inefficiency. For events containing a photon (a jet) with p_T larger than ≈ 50 GeV (≈ 100 GeV) in the $2.5 < |\eta| < 3.0$ region, the efficiency loss is ≈ 10 –20%, depending on p_T , η , and time. Correction factors were computed from data and applied to the acceptance evaluated with simulation. Other uncertainties, such as the pileup contributions (0.1%), and the measurement of the integrated luminosity (1.2% in 2016 [53], 2.3% in 2017 [54], and 2.5% in 2018 [55]) affect only the normaliza-

Table 3

Sources and types of systematic uncertainties described in Section 6. Normalization (norm.) uncertainties yield a variation in the number of events equal to the reported value. Other uncertainties also vary the shape of the mean and the width of the resonant background and signal $m_{\mu\mu\gamma}$ distributions by the indicated amount. Uncertainties in the same line are treated as correlated.

Source	Type	Backgrounds			Signals	
		QCD	Z $\rightarrow \mu\mu\gamma$	H $\rightarrow \mu\mu\gamma$	Z $\rightarrow \psi(nS)\gamma$	H $\rightarrow \psi(nS)\gamma$
Integrated luminosity	norm.	—	—	1.6%	1.6%	1.6%
Fact. and renorm. scales	norm.	—	—	3.6%	3.5%	5.6%
PDF	norm.	—	—	1.8%	1.7%	3.2%
H $\rightarrow \mu\mu\gamma$ branching ratio	norm.	—	—	5.3%	—	—
Pileup modeling	norm.	—	—	0.7%	0.9%	0.8%
Trigger efficiency	norm.	—	—	3.5%	3.5%	3.5%
Trigger timing shift	norm.	—	—	0.0%	0.6%	2.7%
Muon identification/isolation	norm.	—	—	1.6%	2.0%	1.4%
Photon identification	norm.	—	—	1.6%	1.5%	1.5%
Electron veto	norm.	—	—	1.0%	1.0%	1.0%
Jet energy scale (VBF category)	norm.	—	—	2.9%	—	2.9%
Jet energy resolution (VBF category)	norm.	—	—	1.0%	—	1.0%
Jet b tagging (HF category)	norm.	—	—	5.4%	—	5.4%
QCD background model	shape	discrete	—	—	—	—
Resonant bkg. model	norm.	—	1%	—	—	—
Signal model	norm.	—	—	1%	1%	1%
Size of MC samples	$m_{\mu\mu\gamma}$ mean	—	0.06%	0.17%	0.06%	0.06%
Size of MC samples	$m_{\mu\mu\gamma}$ width	—	0.1%	1.3%	0.1%	0.1%
μ calibration	$m_{\mu\mu\gamma}$ mean	—	0.05%	0.05%	0.05%	0.05%
μ calibration	$m_{\mu\mu\gamma}$ width	—	0.8%	0.8%	0.8%	0.8%
γ energy	$m_{\mu\mu\gamma}$ mean	—	0.04%	0.04%	0.04%	0.04%
γ energy	$m_{\mu\mu\gamma}$ width	—	3.4%	3.4%	3.4%	3.4%
γ resolution	$m_{\mu\mu\gamma}$ width	—	1.8%	1.8%	1.8%	1.8%




Fig. 4. The upper panel shows the results of the main background fit in the CR, using the power-law, exponential, and Bernstein polynomial functions with the optimal number of parameters determined with the F-test, and ranked according to the fit χ^2 . The vertical error bars on the data points show the statistical uncertainty. The bottom panel shows the pulls for the fit result for the model with lowest χ^2 .

tion of the simulated samples and have negligible effects on their $m_{\mu\mu\gamma}$ distributions.

Systematic uncertainties in the theoretical prediction arise from the choice of PDFs [56,57], leading to a 2–3% effect on the signal cross section for the Z and H boson signals. The factorization and renormalization scale uncertainties are estimated by varying the scales up and down by a factor of 2, both simultaneously and independently, using the maximum obtained value. The resulting effect is a variation of 3–6% of the signal cross section.

A summary of the systematic uncertainties is provided in Table 3.

7. Results and interpretation

In the absence of a significant observed signal, exclusion limits are obtained by performing a background-only fit and a combined signal-plus-background fit to the $m_{\mu\mu\gamma}$ mass distributions, independently for the Z and Higgs boson signals, and the J/ψ and $\psi(2S)$ hypotheses.

The Higgs and Z boson signals are fitted to the H and Z SRs, respectively. Each fit also includes the CR, which constrains the normalization of the Z boson Dalitz backgrounds. The H boson Dalitz backgrounds are fixed to the SM background expectation, because the number of selected events is not sufficient to constrain this process.

In the fit, based on a profile likelihood, the parameters and the normalization of the background in each category are left free to float. The systematic uncertainties in the signal are treated as nuisance parameters profiled in the statistical interpretation [58], using log-normal constraints for the normalization uncertainties and Gaussian constraints for the muon and photon energy scale and resolution. The Z boson Dalitz background signal strength, $\mu_{Z \rightarrow \mu\mu\gamma}$, is extracted from a standalone fit to the $m_{\mu\mu\gamma}$ distribution measured for the CR events (shown in Fig. 4). The result is statistically compatible with the SM expectation: $\mu_{Z \rightarrow \mu\mu\gamma} = 1.18 \pm 0.12$.

Upper limits at 95% confidence level (CL) are set using the CL_s criterion [59,60] in the asymptotic approximation [61] and cross-checked with those obtained using the generation of pseudo-data [58]. The limits derived with the two methods are in agreement within 5%.

The results are summarized in Fig. 5 and Table 4, where the branching fraction and signal strength values for each channel are reported. The uncertainties that affect the signal normalization (factorization and renormalization scales, and PDF) are treated differently depending on how the exclusion is presented. When deriving upper limits on $\mathcal{B}$ or $\sigma\mathcal{B}$ these uncertainties are not varied in the fit. When placing limits on the signal strength μ , these nuisance parameters are fixed at their best-fit values, in the same manner as the other systematic uncertainties. No statistically significant excess is observed. A deficit in the data consistent with a downward fluctuation with a significance of 2.2 standard deviations is seen in the $Z \rightarrow \psi(2S)\gamma$ search channel. The previous results

Table 4

Observed (expected) upper limits at 95% CL on the normalized values with respect to the SM expectation, denoted as the signal strength parameter μ , of the product of the cross section σ and the branching fraction $\mathcal{B}$ of the $(H, Z) \rightarrow \psi(nS)\gamma$ decays, and the branching fraction, assuming a SM Z and H boson cross section. The results are compared with previous ones [24,26].

Process	This work (123 fb ⁻¹)			CMS (36 fb ⁻¹) [24]	ATLAS (139 fb ⁻¹) [26]
	$\mu_{\text{obs}}(\mu_{\text{exp}})$	$\sigma \mathcal{B}_{\text{obs}}(\sigma \mathcal{B}_{\text{exp}})$ [pb]	$\mathcal{B}_{\text{obs}}(\mathcal{B}_{\text{exp}})$	$\mathcal{B}_{\text{obs}}(\mathcal{B}_{\text{exp}})$	$\mathcal{B}_{\text{obs}}(\mathcal{B}_{\text{exp}})$
$Z \rightarrow J/\psi\gamma$	7.2 (8.6 ^{+4.1} _{-2.7})	$3.8 (4.4^{+1.9}_{-1.3}) \times 10^{-2}$	$0.6 (0.7^{+0.3}_{-0.2}) \times 10^{-6}$	$1.5 (1.7^{+0.7}_{-0.5}) \times 10^{-6}$	$1.2 (0.7^{+0.3}_{-0.2}) \times 10^{-6}$
$Z \rightarrow \psi(2S)\gamma$	29 (68 ⁺³⁶ ₋₂₂)	$8 (19^{+8}_{-6}) \times 10^{-2}$	$1.3 (3.1^{+1.4}_{-0.9}) \times 10^{-6}$	—	$2.4 (3.0^{+1.3}_{-0.8}) \times 10^{-6}$
$H \rightarrow J/\psi\gamma$	88 (62 ⁺³⁰ ₋₁₉)	$1.4 (1.0^{+0.5}_{-0.3}) \times 10^{-2}$	$2.6 (1.8^{+0.9}_{-0.6}) \times 10^{-4}$	$7.6 (5.2^{+2.4}_{-1.6}) \times 10^{-4}$	$2.0 (1.8^{+0.8}_{-0.5}) \times 10^{-4}$
$H \rightarrow \psi(2S)\gamma$	970 (780 ⁺⁴²⁰ ₋₂₆₀)	$5.5 (4.4^{+2.3}_{-1.5}) \times 10^{-2}$	$9.9 (8.0^{+4.2}_{-2.6}) \times 10^{-4}$	—	$10.5 (8.1^{+3.6}_{-2.3}) \times 10^{-4}$




Fig. 5. Observed and expected (with ± 1 , ± 2 standard deviation bands) exclusion limits on the branching fraction of the $(H, Z) \rightarrow \psi(nS)\gamma$ decays.

from the CMS and ATLAS Collaborations are also included for comparison in Table 4 [24,26].

The upper limits on the $H \rightarrow J/\psi\gamma$ signal strength are interpreted within the κ -framework [62] to constrain the c quark Yukawa coupling. The ratios of the signal strengths for the $H \rightarrow J/\psi\gamma$ and $H \rightarrow \gamma\gamma$ decays and their SM expectations are approximated as the ratio of their respective partial decay widths, normalized to their SM expectations Γ^{SM} . Writing the partial $H \rightarrow J/\psi\gamma$ decay width in terms of both direct and indirect amplitudes $\mathcal{A}_{\text{dir}}$ and $\mathcal{A}_{\text{ind}}$ from the diagrams reported in Fig. 1, the ratio κ_c/κ_γ between the coupling modifiers for the c quark Yukawa coupling and the effective coupling of the Higgs boson to photons can be expressed as

$$\begin{aligned} \frac{\mu(H \rightarrow J/\psi\gamma)}{\mu(H \rightarrow \gamma\gamma)} &\approx \frac{\Gamma(H \rightarrow J/\psi\gamma)/\Gamma^{\text{SM}}(H \rightarrow J/\psi\gamma)}{\Gamma(H \rightarrow \gamma\gamma)/\Gamma^{\text{SM}}(H \rightarrow \gamma\gamma)} = \\ &= \frac{|\mathcal{A}_{\text{ind}}\kappa_\gamma + \mathcal{A}_{\text{dir}}\kappa_c|^2}{\kappa_\gamma^2} \frac{1}{\Gamma^{\text{SM}}(H \rightarrow J/\psi\gamma)} = \\ &= \frac{|\mathcal{A}_{\text{ind}} + \mathcal{A}_{\text{dir}}\kappa_c/\kappa_\gamma|^2}{\Gamma^{\text{SM}}(H \rightarrow J/\psi\gamma)}. \end{aligned}$$

In this interpretation, the signal strength for $H \rightarrow \gamma\gamma$ comes from Ref. [63], whereas the values for the direct and indirect amplitudes for $H \rightarrow J/\psi\gamma$ are extracted from Ref. [20]. This interpretation follows the methodology used by the ATLAS Collaboration [26], which is based on Refs. [20,64]. The observed constraint on the κ_c/κ_γ ratio at 95% CL corresponds to the interval $(-157, +199)$, whereas the expected interval from pseudo-experiments is $(-121, +161)$. These results are similar to those reported by ATLAS [26].

An alternative interpretation is considered. Under the pure SM assumption, $\kappa_\gamma = 1$ and consequently $\mu(H \rightarrow \gamma\gamma) = 1$. Thus, the previous equation simplifies to

$$\mu(H \rightarrow J/\psi\gamma) \approx \frac{|\mathcal{A}_{\text{ind}} + \mathcal{A}_{\text{dir}}\kappa_c|^2}{\Gamma^{\text{SM}}(H \rightarrow J/\psi\gamma)}.$$

In this interpretation, the constraint is applied to κ_c directly. The observed and expected intervals at 95% CL are $(-166, +208)$ and $(-128, +169)$, respectively.

With respect to the previous CMS search [24], the sensitivity of this analysis shows an improvement that exceeds the expectations from a simple increase in the integrated luminosity because of the optimization of the event selection, including the angular variables of the decays, the categorization of the Higgs boson depending on the production mode, and the adoption of a more advanced statistical treatment represented by the discrete profiling method, described in Section 6. When compared with the 2016 CMS search updated with the larger data set, the selections optimized to leverage the unique features of each signal process and the statistical treatment provide an improvement by a factor of 2 in the expected limit in the case of the $H \rightarrow J/\psi\gamma$ decay, and of 30% in the case of the $Z \rightarrow J/\psi\gamma$ decay.

8. Summary

A search for rare decays of the Z and H bosons to a photon and a $\psi(nS)$ meson decaying to a pair of muons is presented. The data were collected by the CMS experiment in proton-proton collisions at $\sqrt{s} = 13$ TeV during 2016–2018 and correspond to an integrated luminosity of 123 fb⁻¹. No statistically significant excess has been observed over the standard model expectations. Upper limits at 95% confidence level are set on the branching fractions: 0.6×10^{-6} and 1.3×10^{-6} for the $Z \rightarrow J/\psi\gamma$ and $Z \rightarrow \psi(2S)\gamma$ decays, respectively, and 2.6×10^{-4} and 9.9×10^{-4} for the $H \rightarrow J/\psi\gamma$ and $H \rightarrow \psi(2S)\gamma$ decays, respectively. The limit for $H \rightarrow J/\psi\gamma$ translates to an interval constraint on the κ_c/κ_γ ratio of the Higgs boson coupling modifiers of $(-157, +199)$. If the standard model value of $\kappa_\gamma = 1$ is assumed, the observed interval becomes $(-166, +208)$.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS detector, and the supporting computing

infrastructure provided by the following funding agencies: SC (Armenia), BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MOST, and NSFC (China); Minciencias (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); ERC PRG, RVTT3 and MoER TK202 (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); SRNSF (Georgia); BMBF, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); MES (Latvia); LMTLT (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MES and NSC (Poland); FCT (Portugal); MESTD (Serbia); MCIN/AEI and PCTI (Spain); MoSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHEI and NSTDA (Thailand); TUBITAK and TEN-MAK (Turkey); NASU (Ukraine); STFC (United Kingdom); DOE and NSF (USA).

Individuals have received support from the Marie-Curie program and The European Research Council and Horizon 2020 Grant, contract Nos. 675440, 724704, 752730, 758316, 765710, 824093, 101115353, 101002207, and COST Action CA16108 (European Union); the Leventis Foundation; The Alfred P. Sloan Foundation; the Alexander von Humboldt Foundation; the Science Committee, project no. 22r1-037 (Armenia); the Belgian Federal Science Policy Office; the Fonds pour la Formation à la Recherche dans l'Industrie et dans l'Agriculture (FRIA-Belgium); the F.R.S.-FNRS and FWO (Belgium) under the "Excellence of Science – EOS" – be.h project n. 30820817; the Beijing Municipal Science & Technology Commission, No. Z191100007219010 and Fundamental Research Funds for the Central Universities (China); The Ministry of Education, Youth and Sports (MEYS) of the Czech Republic; the Shota Rustaveli National Science Foundation, grant FR-22-985 (Georgia); the Deutsche Forschungsgemeinschaft (DFG), among others, under Germany's Excellence Strategy – EXC 2121 "Quantum Universe" – 390833306, and under project number 400140256 - GRK2497; the Hellenic Foundation for Research and Innovation (HFRI), Project Number 2288 (Greece); the Hungarian Academy of Sciences, the New National Excellence Program - ÚNKP, the NKFIH research grants K 131991, K 133046, K 138136, K 143460, K 143477, K 146913, K 146914, K 147048, 2020-2.2.1-ED-2021-00181, and TKP2021-NKTA-64 (Hungary); the Council of Science and Industrial Research, India; ICSC – National Research Center for High Performance Computing, Big Data and Quantum Computing and FAIR – Future Artificial Intelligence Research, funded by the NextGenerationEU program (Italy); the Latvian Council of Science; the Ministry of Education and Science, project no. 2022/WK/14, and the National Science Center, contracts Opus 2021/41/B/ST2/01369 and 2021/43/B/ST2/01552 (Poland); the Fundação para a Ciência e a Tecnologia, grant CEECIND/01334/2018 (Portugal); the National Priorities Research Program by Qatar National Research Fund; MCIN/AEI/10.13039/501100011033, ERDF "a way of making Europe", and the Programa Estatal de Fomento de la Investigación Científica y Técnica de Excelencia María de Maeztu, grant MDM-2017-0765 and Programa Severo Ochoa del Principado de Asturias (Spain); the Chulalongkorn Academic into Its 2nd Century Project Advancement Project, and the National Science, Research and Innovation Fund via the Program Management Unit for Human Resources & Institutional Development, Research and Innovation, grant B39G670016 (Thailand); the Kavli Foundation; the Nvidia Corporation; the Super-Micro Corporation; the Welch Foundation, contract C-1845; and the Weston Havens Foundation (USA).

Data availability

Release and preservation of data used by the CMS Collaboration as the basis for publications is guided by the [CMS data preservation, re-use and open access policy](#).

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the standard model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* 716 (2012) 1, <https://doi.org/10.1016/j.physletb.2012.08.020>, arXiv:1207.7214.
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* 716 (2012) 30, <https://doi.org/10.1016/j.physletb.2012.08.021>, arXiv:1207.7235.
- [3] CMS Collaboration, Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7$ and 8 TeV, *J. High Energy Phys.* 06 (2013) 081, [https://doi.org/10.1007/JHEP06\(2013\)081](https://doi.org/10.1007/JHEP06(2013)081), arXiv:1303.4571.
- [4] F. Englert, R. Brout, Broken symmetry and the mass of gauge vector mesons, *Phys. Rev. Lett.* 13 (1964) 321, <https://doi.org/10.1103/PhysRevLett.13.321>.
- [5] P.W. Higgs, Broken symmetries and the masses of gauge bosons, *Phys. Rev. Lett.* 13 (1964) 508, <https://doi.org/10.1103/PhysRevLett.13.508>.
- [6] CMS Collaboration, A portrait of the Higgs boson by the CMS experiment ten years after the discovery, *Nature* 607 (2022) 60, <https://doi.org/10.1038/s41586-022-04892-x>, arXiv:2207.00043.
- [7] ATLAS Collaboration, A detailed map of Higgs boson interactions by the ATLAS experiment ten years after the discovery, *Nature* 607 (2022) 52, <https://doi.org/10.1038/s41586-022-04893-w>, arXiv:2207.00092.
- [8] CMS Collaboration, Search for Higgs boson decay to a charm quark-antiquark pair in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* 131 (2023) 061801, <https://doi.org/10.1103/PhysRevLett.131.061801>, arXiv:2205.05550.
- [9] CMS Collaboration, Search for Higgs boson and observation of Z boson through their decay into a charm quark-antiquark pair in boosted topologies in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. Lett.* 131 (2023) 041801, <https://doi.org/10.1103/PhysRevLett.131.041801>, arXiv:2211.14181.
- [10] ATLAS Collaboration, Direct constraint on the Higgs-charm coupling from a search for Higgs boson decays into charm quarks with the ATLAS detector, *Eur. Phys. J. C* 82 (2022) 717, <https://doi.org/10.1140/epjc/s10052-022-10588-3>, arXiv:2201.11428.
- [11] G.T. Bodwin, F. Petriello, S. Stoynev, M. Velasco, Higgs boson decays to quarkonia and the Hc coupling, *Phys. Rev. D* 88 (2013) 053003, <https://doi.org/10.1103/PhysRevD.88.053003>, arXiv:1306.5770.
- [12] C. Delaunay, T. Golling, G. Perez, Y. Soreq, Enhanced Higgs boson coupling to charm pairs, *Phys. Rev. D* 89 (2014) 033014, <https://doi.org/10.1103/PhysRevD.89.033014>, arXiv:1310.7029.
- [13] D. d'Enterria, V.D. Le, Rare and exclusive few-body decays of the Higgs, Z, W bosons, and the top quark, *J. Phys. G* (2024), <https://doi.org/10.1088/1361-6471/ad3c59>, arXiv:2312.11211.
- [14] LHC Higgs Cross Section Working Group, Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector, CERN Yellow Reports: Monographs, vol. 2, 2018, arXiv:1610.07922.
- [15] G.T. Bodwin, H.S. Chung, J.-H. Ee, J. Lee, F. Petriello, Relativistic corrections to Higgs boson decays to quarkonia, *Phys. Rev. D* 90 (2014) 113010, <https://doi.org/10.1103/PhysRevD.90.113010>, arXiv:1407.6695.
- [16] T.-C. Huang, F. Petriello, Rare exclusive decays of the Z-boson revisited, *Phys. Rev. D* 92 (2015) 014007, <https://doi.org/10.1103/PhysRevD.92.014007>, arXiv:1411.5924.
- [17] M. König, M. Neubert, Exclusive radiative Higgs decays as probes of light-quark Yukawa couplings, *J. High Energy Phys.* 08 (2015) 012, [https://doi.org/10.1007/JHEP08\(2015\)012](https://doi.org/10.1007/JHEP08(2015)012), arXiv:1505.03870.
- [18] G.T. Bodwin, H.S. Chung, J.-H. Ee, J. Lee, Z-boson decays to a vector quarkonium plus a photon, *Phys. Rev. D* 97 (2018) 016009, <https://doi.org/10.1103/PhysRevD.97.016009>, arXiv:1709.09320.
- [19] G.T. Bodwin, H.S. Chung, J.-H. Ee, J. Lee, Addendum: new approach to the resummation of logarithms in Higgs-boson decays to a vector quarkonium plus a photon, *Phys. Rev. D* 95 (2017) 054018, <https://doi.org/10.1103/PhysRevD.95.054018>, *Phys. Rev. D* 96 (2017) 116014, arXiv:1710.09872.
- [20] N. Brambilla, H.S. Chung, W.K. Lai, V. Shtabovenko, A. Vairo, Order v^4 corrections to Higgs boson decay into $J/\psi + \gamma$, *Phys. Rev. D* 100 (2019) 054038, <https://doi.org/10.1103/PhysRevD.100.054038>, arXiv:1907.06473.
- [21] W.-L. Sang, D.-S. Yang, Y.-D. Zhang, Z-boson radiative decays to an S-wave quarkonium at NNLO and NLL accuracy, *Phys. Rev. D* 108 (2023) 014021, <https://doi.org/10.1103/PhysRevD.108.014021>, arXiv:2302.06439.
- [22] G.-Y. Wang, X.-C. Zheng, X.-G. Wu, G.-Z. Xu, Z-boson decays into S-wave quarkonium plus a photon up to $\mathcal{O}(\alpha_s^2)$ corrections, arXiv:2312.08796, 2023.
- [23] S. Navas, et al., Particle Data Group, *Rev. Part. Phys.* *Phys. Rev. D* 110 (2024) 030001, <https://doi.org/10.1103/PhysRevD.110.030001>.
- [24] CMS Collaboration, Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* 79 (2019) 94, <https://doi.org/10.1140/epjc/s10052-019-6562-5>, arXiv:1810.10056.
- [25] ATLAS Collaboration, Searches for exclusive Higgs and Z boson decays into $J/\psi\gamma$, $\psi(2S)\gamma$, and $\Upsilon(nS)\gamma$ at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Lett. B* 786 (2018) 134, <https://doi.org/10.1016/j.physletb.2018.09.024>, arXiv:1807.00802.
- [26] ATLAS Collaboration, Searches for exclusive Higgs and Z boson decays into a vector quarkonium state and a photon using 139 fb^{-1} of ATLAS $\sqrt{s} = 13$ TeV proton-proton collision data, *Eur. Phys. J. C* 83 (2023) 781, <https://doi.org/10.1140/epjc/s10052-023-11869-1>, arXiv:2208.03122.
- [27] HEPData record for this analysis, <https://doi.org/10.17182/hepdata.154897>, 2024.

- [28] CMS Collaboration, The CMS experiment at the CERN LHC, *J. Instrum.* 3 (2008) S08004, <https://doi.org/10.1088/1748-0221/3/08/S08004>.
- [29] CMS Collaboration, Performance of the CMS level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. Instrum.* 15 (2020) P10017, <https://doi.org/10.1088/1748-0221/15/10/P10017>, arXiv:2006.10165.
- [30] CMS Collaboration, The CMS trigger system, *J. Instrum.* 12 (2017) P01020, <https://doi.org/10.1088/1748-0221/12/01/P01020>, arXiv:1609.02366.
- [31] CMS Collaboration, Description and performance of track and primary-vertex reconstruction with the CMS tracker, *J. Instrum.* 9 (2014) P10009, <https://doi.org/10.1088/1748-0221/9/10/P10009>, arXiv:1405.6569.
- [32] W. Adam, et al., CMS Tracker, The CMS phase-1 pixel detector upgrade, *J. Instrum.* 16 (2021) P02027, <https://doi.org/10.1088/1748-0221/16/02/P02027>, arXiv:2012.14304.
- [33] CMS Collaboration, Track impact parameter resolution for the full pseudorapidity coverage in the 2017 dataset with the CMS phase-1 pixel detector, CMS detector performance summary CMS-DP-2020-049, <https://cds.cern.ch/record/2743740>, 2020.
- [34] CMS Collaboration, Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, *J. Instrum.* 10 (2015) P08010, <https://doi.org/10.1088/1748-0221/10/08/P08010>, arXiv:1502.02702.
- [35] CMS Collaboration, Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC, *J. Instrum.* 16 (2021) P05014, <https://doi.org/10.1088/1748-0221/16/05/P05014>, arXiv:2012.06888.
- [36] CMS Collaboration, Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV, *J. Instrum.* 13 (2018) P06015, <https://doi.org/10.1088/1748-0221/13/06/P06015>, arXiv:1804.04528.
- [37] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, *J. Instrum.* 12 (2017) P10003, <https://doi.org/10.1088/1748-0221/12/10/P10003>, arXiv:1706.04965.
- [38] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_T jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, <https://doi.org/10.1088/1126-6708/2008/04/063>, arXiv:0802.1189.
- [39] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, *Eur. Phys. J. C* 72 (2012) 1896, <https://doi.org/10.1140/epjc/s10052-012-1896-2>, arXiv:1111.6097.
- [40] M. Cacciari, G.P. Salam, G. Soyez, The catchment area of jets, *J. High Energy Phys.* 04 (2008) 005, <https://doi.org/10.1088/1126-6708/2008/04/005>, arXiv:0802.1188.
- [41] CMS Collaboration, Pileup mitigation at CMS in 13 TeV data, *J. Instrum.* 15 (2020) P09018, <https://doi.org/10.1088/1748-0221/15/09/p09018>, arXiv:2003.00503.
- [42] CMS Collaboration, Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV, *J. Instrum.* 13 (2018) P05011, <https://doi.org/10.1088/1748-0221/13/05/P05011>, arXiv:1712.07158.
- [43] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H.-S. Shao, T. Stelzer, P. Torrielli, M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 079, [https://doi.org/10.1007/JHEP07\(2014\)079](https://doi.org/10.1007/JHEP07(2014)079), arXiv:1405.0301.
- [44] P. Faccioli, C. Lourenço, Particle Polarization in High Energy Physics: an Introduction and Case Studies on Vector Particle Production at the LHC, *Lecture Notes in Physics*, Springer, 2022.
- [45] Y. Li, F. Petriello, Combining QCD and electroweak corrections to dilepton production in FEWZ, *Phys. Rev. D* 86 (2012) 094034, <https://doi.org/10.1103/PhysRevD.86.094034>, arXiv:1208.5967.
- [46] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements, *Eur. Phys. J. C* 80 (2020) 4, <https://doi.org/10.1140/epjc/s10052-019-7499-4>, arXiv:1903.12179.
- [47] R.D. Ball, V. Bertone, S. Carrazza, L. Del Debbio, S. Forte, A. Guffanti, N.P. Hartland, J. Rojo, NNPDF, Parton distributions with QED corrections, *Nucl. Phys. B* 877 (2013) 290, <https://doi.org/10.1016/j.nuclphysb.2013.10.010>, arXiv:1308.0598.
- [48] R.D. Ball, V. Bertone, F. Cerutti, L. Del Debbio, S. Forte, A. Guffanti, J.I. Latorre, J. Rojo, M. Ubiali, NNPDF, Unbiased global determination of parton distributions and their uncertainties at NNLO and at LO, *Nucl. Phys. B* 855 (2012) 153, <https://doi.org/10.1016/j.nuclphysb.2011.09.024>, arXiv:1107.2652.
- [49] S. Agostinelli, et al., GEANT4, Geant4—a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250, [https://doi.org/10.1016/S0168-9002\(03\)01368-8](https://doi.org/10.1016/S0168-9002(03)01368-8).
- [50] J.E. Gaiser, Charmonium spectroscopy from radiative decays of the J/ψ and ψ' , Ph.D. thesis, SLAC, 1982, <https://slac.stanford.edu/pubs/slacreports/reports02/slac-r-255.pdf>, appendix F.
- [51] M.H. Kutner, C.J. Nachtsheim, J. Neter, W. Li, *Applied Linear Statistical Models*, fifth edition, Irwin, 1996.
- [52] P.D. Dauncey, M. Kenzie, N. Wardle, G.J. Davies, Handling uncertainties in background shapes: the discrete profiling method, *J. Instrum.* 10 (2015) P04015, <https://doi.org/10.1088/1748-0221/10/04/P04015>, arXiv:1408.6865.
- [53] CMS Collaboration, Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS, *Eur. Phys. J. C* 81 (2021) 800, <https://doi.org/10.1140/epjc/s10052-021-09538-2>, arXiv:2104.01927.
- [54] CMS Collaboration, CMS luminosity measurement for the 2017 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary CMS-PAS-LUM-17-004 2018, <http://cds.cern.ch/record/2621960>.
- [55] CMS Collaboration, CMS luminosity measurement for the 2018 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary CMS-PAS-LUM-18-002, 2019, <http://cds.cern.ch/record/2676164>.
- [56] R.D. Ball, et al., NNPDF, Parton distributions for the LHC Run II, *J. High Energy Phys.* 04 (2015) 040, [https://doi.org/10.1007/JHEP04\(2015\)040](https://doi.org/10.1007/JHEP04(2015)040), arXiv:1410.8849.
- [57] J. Butterworth, et al., PDF4LHC recommendations for LHC Run II, *J. Phys. G* 43 (2016) 23001, <https://doi.org/10.1088/0954-3899/43/2/023001>, arXiv:1510.03865.
- [58] CMS ATLAS Collaborations, Procedure for the LHC Higgs boson search combination in Summer 2011, CMS Note CMS-NOTE-2011-005, ATL-PHYS-PUB-2011-11, 2011, <https://cds.cern.ch/record/1379837>.
- [59] T. Junk, Confidence level computation for combining searches with small statistics, *Nucl. Instrum. Methods A* 434 (1999) 435, [https://doi.org/10.1016/S0168-9002\(99\)00498-2](https://doi.org/10.1016/S0168-9002(99)00498-2), arXiv:hep-ex/9902006.
- [60] A.L. Read, Presentation of search results: the CL_s technique, *J. Phys. G* 28 (2002) 2693, <https://doi.org/10.1088/0954-3899/28/10/313>.
- [61] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* 71 (2011) 1554, <https://doi.org/10.1140/epjc/s10052-011-1554-0>, arXiv:1007.1727, Erratum: <https://doi.org/10.1140/epjc/s10052-013-2501-z>.
- [62] LHC Higgs Cross Section Working Group, Handbook of LHC Higgs cross sections: 3. Higgs properties, CERN-2013-004 2013, arXiv:1307.1347.
- [63] CMS Collaboration, Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13$ TeV, *J. High Energy Phys.* 07 (2021) 027, [https://doi.org/10.1007/JHEP07\(2021\)027](https://doi.org/10.1007/JHEP07(2021)027), arXiv:2103.06956.
- [64] G. Perez, Y. Soreq, E. Stamou, K. Tobioka, Constraining the charm Yukawa and Higgs-quark coupling universality, *Phys. Rev. D* 92 (2015) 033016, <https://doi.org/10.1103/PhysRevD.92.033016>, arXiv:1503.00290.

The CMS collaboration

A. Hayrapetyan, A. Tumasyan ¹

Yerevan Physics Institute, Yerevan, Armenia

W. Adam , J.W. Andrejkovic, T. Bergauer , S. Chatterjee , K. Damanakis , M. Dragicevic ,
P.S. Hussain , M. Jeitler ², N. Krammer , A. Li , D. Liko , I. Mikulec , J. Schieck ², R. Schöfbeck ,
D. Schwarz , M. Sonawane , S. Templ , W. Waltenberger , C.-E. Wulz ²

Institut für Hochenergiephysik, Vienna, Austria

M.R. Darwish ³, T. Janssen , P. Van Mechelen 

Universiteit Antwerpen, Antwerpen, Belgium

N. Breugelmans, J. D'Hondt^{ID}, S. Dansana^{ID}, A. De Moor^{ID}, M. Delcourt^{ID}, F. Heyen, S. Lowette^{ID},
I. Makarenko^{ID}, D. Müller^{ID}, S. Tavernier^{ID}, M. Tytgat^{ID,4}, G.P. Van Onsem^{ID}, S. Van Putte^{ID},
D. Vannerom^{ID}

Vrije Universiteit Brussel, Brussel, Belgium

B. Bilin^{ID}, B. Clerbaux^{ID}, A.K. Das, G. De Lentdecker^{ID}, H. Evard^{ID}, L. Favart^{ID}, P. Gianneios^{ID},
J. Jaramillo^{ID}, A. Khalilzadeh, F.A. Khan^{ID}, K. Lee^{ID}, M. Mahdavihorrani^{ID}, A. Malara^{ID}, S. Paredes^{ID},
M.A. Shahzad, L. Thomas^{ID}, M. Vanden Bemden^{ID}, C. Vander Velde^{ID}, P. Vanlaer^{ID}

Université Libre de Bruxelles, Bruxelles, Belgium

M. De Coen^{ID}, D. Dobur^{ID}, G. Gokbulut^{ID}, Y. Hong^{ID}, J. Knolle^{ID}, L. Lambrecht^{ID}, D. Marckx^{ID},
K. Mota Amarilo^{ID}, A. Samalan, K. Skovpen^{ID}, N. Van Den Bossche^{ID}, J. van der Linden^{ID}, L. Wezenbeek^{ID}

Ghent University, Ghent, Belgium

A. Benecke^{ID}, A. Bethani^{ID}, G. Bruno^{ID}, C. Caputo^{ID}, J. De Favereau De Jeneret^{ID}, C. Delaere^{ID},
I.S. Donertas^{ID}, A. Giammanco^{ID}, A.O. Guzel^{ID}, Sa. Jain^{ID}, V. Lemaître, J. Lidrych^{ID}, P. Mastrapasqua^{ID},
T.T. Tran^{ID}, S. Wertz^{ID}

Université Catholique de Louvain, Louvain-la-Neuve, Belgium

G.A. Alves^{ID}, M. Alves Gallo Pereira^{ID}, E. Coelho^{ID}, G. Correia Silva^{ID}, C. Hensel^{ID},
T. Menezes De Oliveira^{ID}, A. Moraes^{ID}, P. Rebello Teles^{ID}, M. Soeiro, A. Vilela Pereira^{ID,5}

Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

W.L. Aldá Júnior^{ID}, M. Barroso Ferreira Filho^{ID}, H. Brandao Malbouisson^{ID}, W. Carvalho^{ID}, J. Chinellato⁶,
E.M. Da Costa^{ID}, G.G. Da Silveira^{ID,7}, D. De Jesus Damiao^{ID}, S. Fonseca De Souza^{ID}, R. Gomes De Souza,
M. Macedo^{ID}, J. Martins^{ID,8}, C. Mora Herrera^{ID}, L. Mundim^{ID}, H. Nogima^{ID}, J.P. Pinheiro^{ID}, A. Santoro^{ID},
A. Sznajder^{ID}, M. Thiel^{ID}

Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

C.A. Bernardes^{ID,7}, L. Calligaris^{ID}, T.R. Fernandez Perez Tomei^{ID}, E.M. Gregores^{ID}, I. Maietto Silverio^{ID},
P.G. Mercadante^{ID}, S.F. Novaes^{ID}, B. Orzari^{ID}, Sandra S. Padula^{ID}

Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil

A. Aleksandrov^{ID}, G. Antchev^{ID}, R. Hadjiiska^{ID}, P. Iaydjiev^{ID}, M. Misheva^{ID}, M. Shopova^{ID}, G. Sultanov^{ID}

Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria

A. Dimitrov^{ID}, L. Litov^{ID}, B. Pavlov^{ID}, P. Petkov^{ID}, A. Petrov^{ID}, E. Shumka^{ID}

University of Sofia, Sofia, Bulgaria

S. Keshri^{ID}, S. Thakur^{ID}

Instituto De Alta Investigación, Universidad de Tarapacá, Casilla 7 D, Arica, Chile

T. Cheng^{ID}, T. Javaid^{ID}, L. Yuan^{ID}

Beihang University, Beijing, China

Z. Hu^{ID}, Z. Liang, J. Liu, K. Yi^{ID,9,10}

Department of Physics, Tsinghua University, Beijing, China

G.M. Chen^{¹¹}, H.S. Chen^{¹¹}, M. Chen^{¹¹}, F. Iemmi^{}, C.H. Jiang, A. Kapoor^{¹²}, H. Liao^{}, Z.-A. Liu^{¹³},
R. Sharma^{¹⁴}, J.N. Song^{¹³}, J. Tao^{}, C. Wang^{¹¹}, J. Wang^{}, Z. Wang^{¹¹}, H. Zhang^{}, J. Zhao^{}

Institute of High Energy Physics, Beijing, China

A. Agapitos^{}, Y. Ban^{}, S. Deng^{}, B. Guo, C. Jiang^{}, A. Levin^{}, C. Li^{}, Q. Li^{}, Y. Mao, S. Qian,
S.J. Qian^{}, X. Qin, X. Sun^{}, D. Wang^{}, H. Yang, L. Zhang^{}, Y. Zhao, C. Zhou^{}

State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China

S. Yang^{}

Guangdong Provincial Key Laboratory of Nuclear Science and Guangdong-Hong Kong Joint Laboratory of Quantum Matter, South China Normal University, Guangzhou, China

Z. You^{}

Sun Yat-Sen University, Guangzhou, China

K. Jaffel^{}, N. Lu^{}

University of Science and Technology of China, Hefei, China

G. Bauer^{¹⁵}, B. Li, J. Zhang^{}

Nanjing Normal University, Nanjing, China

X. Gao^{¹⁶}

Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE) - Fudan University, Shanghai, China

Z. Lin^{}, C. Lu^{}, M. Xiao^{}

Zhejiang University, Hangzhou, Zhejiang, China

C. Avila^{}, D.A. Barbosa Trujillo, A. Cabrera^{}, C. Florez^{}, J. Fraga^{}, J.A. Reyes Vega

Universidad de Los Andes, Bogota, Colombia

F. Ramirez^{}, C. Rendón^{}, M. Rodriguez^{}, A.A. Ruales Barbosa^{}, J.D. Ruiz Alvarez^{}

Universidad de Antioquia, Medellin, Colombia

D. Giljanovic^{}, N. Godinovic^{}, D. Lelas^{}, A. Sculac^{}

University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia

M. Kovac^{}, A. Petkovic^{}, T. Sculac^{}

University of Split, Faculty of Science, Split, Croatia

P. Bargassa^{}, V. Brigljevic^{}, B.K. Chitroda^{}, D. Ferencek^{}, K. Jakovcic, S. Mishra^{}, A. Starodumov^{¹⁷},
T. Susa^{}

Institute Rudjer Boskovic, Zagreb, Croatia

A. Attikis^{}, K. Christoforou^{}, A. Hadjiagapiou, C. Leonidou^{}, J. Mousa^{}, C. Nicolaou, L. Paizanos,
F. Ptochos^{}, P.A. Razis^{}, H. Rykaczewski, H. Saka^{}, A. Stepennov^{}

University of Cyprus, Nicosia, Cyprus

M. Finger^{}, M. Finger Jr.^{}, A. Kveton^{}

Charles University, Prague, Czech Republic

E. Ayala^{}

Escuela Politecnica Nacional, Quito, Ecuador

E. Carrera Jarrin ^{ID}

Universidad San Francisco de Quito, Quito, Ecuador

A.A. Abdelalim ^{ID},^{18,19}, S. Elgammal ²⁰, A. Ellithi Kamel ²¹

Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt

M. Abdullah Al-Mashad ^{ID}, M.A. Mahmoud ^{ID}

Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt

K. Ehataht ^{ID}, M. Kadastik, T. Lange ^{ID}, S. Nandan ^{ID}, C. Nielsen ^{ID}, J. Pata ^{ID}, M. Raidal ^{ID}, L. Tani ^{ID},
C. Veelken ^{ID}

National Institute of Chemical Physics and Biophysics, Tallinn, Estonia

H. Kirschenmann ^{ID}, K. Osterberg ^{ID}, M. Voutilainen ^{ID}

Department of Physics, University of Helsinki, Helsinki, Finland

S. Bharthuar ^{ID}, N. Bin Norjoharuddeen ^{ID}, E. Brücken ^{ID}, F. Garcia ^{ID}, P. Inkaew ^{ID}, K.T.S. Kallonen ^{ID},
T. Lampén ^{ID}, K. Lassila-Perini ^{ID}, S. Lehti ^{ID}, T. Lindén ^{ID}, L. Martikainen ^{ID}, M. Myllymäki ^{ID},
M.m. Rantanen ^{ID}, H. Siikonen ^{ID}, J. Tuominiemi ^{ID}

Helsinki Institute of Physics, Helsinki, Finland

P. Luukka ^{ID}, H. Petrow ^{ID}

Lappeenranta-Lahti University of Technology, Lappeenranta, Finland

M. Besancon ^{ID}, F. Couderc ^{ID}, M. Dejardin ^{ID}, D. Denegri, J.L. Faure, F. Ferri ^{ID}, S. Ganjour ^{ID}, P. Gras ^{ID},
G. Hamel de Monchenault ^{ID}, M. Kumar ^{ID}, V. Lohezic ^{ID}, J. Malcles ^{ID}, F. Orlandi ^{ID}, L. Portales ^{ID},
A. Rosowsky ^{ID}, M.Ö. Sahin ^{ID}, A. Savoy-Navarro ^{ID},²², P. Simkina ^{ID}, M. Titov ^{ID}, M. Tornago ^{ID}

IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France

F. Beaudette ^{ID}, P. Busson ^{ID}, A. Cappati ^{ID}, C. Charlot ^{ID}, M. Chiusi ^{ID}, F. Damas ^{ID}, O. Davignon ^{ID},
A. De Wit ^{ID}, I.T. Ehle ^{ID}, B.A. Fontana Santos Alves ^{ID}, S. Ghosh ^{ID}, A. Gilbert ^{ID}, R. Granier de Cassagnac ^{ID},
A. Hakimi ^{ID}, B. Harikrishnan ^{ID}, L. Kalipoliti ^{ID}, G. Liu ^{ID}, M. Nguyen ^{ID}, C. Ochando ^{ID}, R. Salerno ^{ID},
J.B. Sauvan ^{ID}, Y. Sirois ^{ID}, L. Urda Gómez ^{ID}, E. Vernazza ^{ID}, A. Zabi ^{ID}, A. Zghiche ^{ID}

Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France

J.-L. Agram ^{ID},²³, J. Andrea ^{ID}, D. Apparu ^{ID}, D. Bloch ^{ID}, J.-M. Brom ^{ID}, E.C. Chabert ^{ID}, C. Collard ^{ID},
S. Falke ^{ID}, U. Goerlach ^{ID}, R. Haeberle ^{ID}, A.-C. Le Bihan ^{ID}, M. Meena ^{ID}, O. Poncet ^{ID}, G. Saha ^{ID},
M.A. Sessini ^{ID}, P. Van Hove ^{ID}, P. Vaucelle ^{ID}

Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France

A. Di Florio ^{ID}

Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France

D. Amram, S. Beauceron ^{ID}, B. Blancon ^{ID}, G. Boudoul ^{ID}, N. Chanon ^{ID}, D. Contardo ^{ID}, P. Depasse ^{ID},
C. Dozen ^{ID},²⁴, H. El Mamouni, J. Fay ^{ID}, S. Gascon ^{ID}, M. Gouzevitch ^{ID}, C. Greenberg ^{ID}, G. Grenier ^{ID},
B. Ille ^{ID}, E. Jourdhuy, I.B. Laktineh, M. Lethuillier ^{ID}, L. Mirabito, S. Perries, A. Purohit ^{ID},
M. Vander Donckt ^{ID}, P. Verdier ^{ID}, J. Xiao ^{ID}

Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France

I. Bagaturia^{ID,25}, I. Lomidze^{ID}, Z. Tsamalaidze^{ID,17}

Georgian Technical University, Tbilisi, Georgia

V. Botta^{ID}, S. Consuegra Rodríguez^{ID}, L. Feld^{ID}, K. Klein^{ID}, M. Lipinski^{ID}, D. Meuser^{ID}, A. Pauls^{ID},
D. Pérez Adán^{ID}, N. Röwert^{ID}, M. Teroerde^{ID}

RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany

S. Diekmann^{ID}, A. Dodonova^{ID}, N. Eich^{ID}, D. Eliseev^{ID}, F. Engelke^{ID}, J. Erdmann^{ID}, M. Erdmann^{ID},
P. Fackeldey^{ID}, B. Fischer^{ID}, T. Hebbeker^{ID}, K. Hoepfner^{ID}, F. Ivone^{ID}, A. Jung^{ID}, M.y. Lee^{ID}, F. Mausolf^{ID},
M. Merschmeyer^{ID}, A. Meyer^{ID}, S. Mukherjee^{ID}, D. Noll^{ID}, F. Nowotny, A. Pozdnyakov^{ID}, Y. Rath,
W. Redjeb^{ID}, F. Rehm, H. Reithler^{ID}, V. Sarkisovi^{ID}, A. Schmidt^{ID}, A. Sharma^{ID}, J.L. Spah^{ID}, A. Stein^{ID},
F. Torres Da Silva De Araujo^{ID,26}, S. Wiedenbeck^{ID}, S. Zaleski

RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany

C. Dziwok^{ID}, G. Flügge^{ID}, T. Kress^{ID}, A. Nowack^{ID}, O. Pooth^{ID}, A. Stahl^{ID}, T. Ziemons^{ID}, A. Zotz^{ID}

RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany

H. Aarup Petersen^{ID}, M. Aldaya Martin^{ID}, J. Alimena^{ID}, S. Amoroso, Y. An^{ID}, J. Bach^{ID}, S. Baxter^{ID},
M. Bayatmakou^{ID}, H. Becerril Gonzalez^{ID}, O. Behnke^{ID}, A. Belvedere^{ID}, S. Bhattacharya^{ID}, F. Blekman^{ID,27},
K. Borras^{ID,28}, A. Campbell^{ID}, A. Cardini^{ID}, C. Cheng^{ID}, F. Colombina^{ID}, M. De Silva^{ID}, G. Eckerlin,
D. Eckstein^{ID}, L.I. Estevez Banos^{ID}, O. Filatov^{ID}, E. Gallo^{ID,27}, A. Geiser^{ID}, V. Guglielmi^{ID}, M. Guthoff^{ID},
A. Hinzmann^{ID}, L. Jappe^{ID}, B. Kaech^{ID}, M. Kasemann^{ID}, C. Kleinwort^{ID}, R. Kogler^{ID}, M. Komm^{ID},
D. Krücker^{ID}, W. Lange, D. Leyva Pernia^{ID}, K. Lipka^{ID,29}, W. Lohmann^{ID,30}, F. Lorkowski^{ID}, R. Mankel^{ID},
I.-A. Melzer-Pellmann^{ID}, M. Mendizabal Morentin^{ID}, A.B. Meyer^{ID}, G. Milella^{ID}, K. Moral Figueroa^{ID},
A. Mussgiller^{ID}, L.P. Nair^{ID}, J. Niedziela^{ID}, A. Nürnberg^{ID}, Y. Otariid, J. Park^{ID}, E. Ranken^{ID},
A. Raspereza^{ID}, D. Rastorguev^{ID}, J. Rübenach, L. Rygaard, A. Saggio^{ID}, M. Scham^{ID,31,28}, S. Schnake^{ID,28},
P. Schütze^{ID}, C. Schwanenberger^{ID,27}, D. Selivanova^{ID}, K. Sharko^{ID}, M. Shchedrolosiev^{ID}, D. Stafford^{ID},
F. Vazzoler^{ID}, A. Ventura Barroso^{ID}, R. Walsh^{ID}, D. Wang^{ID}, Q. Wang^{ID}, Y. Wen^{ID}, K. Wichmann,
L. Wiens^{ID,28}, C. Wissing^{ID}, Y. Yang^{ID}, A. Zimmermann Castro Santos

Deutsches Elektronen-Synchrotron, Hamburg, Germany

A. Albrecht^{ID}, S. Albrecht^{ID}, M. Antonello^{ID}, S. Bein^{ID}, L. Benato^{ID}, S. Bollweg, M. Bonanomi^{ID}, P. Connor^{ID},
K. El Morabit^{ID}, Y. Fischer^{ID}, E. Garutti^{ID}, A. Grohsjean^{ID}, J. Haller^{ID}, H.R. Jabusch^{ID}, G. Kasieczka^{ID},
P. Keicher^{ID}, R. Klanner^{ID}, W. Korcari^{ID}, T. Kramer^{ID}, C.c. Kuo, V. Kutzner^{ID}, F. Labe^{ID}, J. Lange^{ID},
A. Lobanov^{ID}, C. Matthies^{ID}, L. Moureaux^{ID}, M. Mrowietz, A. Nigamova^{ID}, Y. Nissan, A. Paasch^{ID},
K.J. Pena Rodriguez^{ID}, T. Quadfasel^{ID}, B. Raciti^{ID}, M. Rieger^{ID}, D. Savoia^{ID}, J. Schindler^{ID}, P. Schleper^{ID},
M. Schröder^{ID}, J. Schwandt^{ID}, M. Sommerhalder^{ID}, H. Stadie^{ID}, G. Steinbrück^{ID}, A. Tews, M. Wolf^{ID}

University of Hamburg, Hamburg, Germany

S. Brommer^{ID}, M. Burkart, E. Butz^{ID}, T. Chwalek^{ID}, A. Dierlamm^{ID}, A. Droll, N. Faltermann^{ID}, M. Giffels^{ID},
A. Gottmann^{ID}, F. Hartmann^{ID,32}, R. Hofsaess^{ID}, M. Horzela^{ID}, U. Husemann^{ID}, J. Kieseler^{ID}, M. Klute^{ID},
R. Koppenhöfer^{ID}, J.M. Lawhorn^{ID}, M. Link, A. Lintuluoto^{ID}, B. Maier^{ID}, S. Maier^{ID}, S. Mitra^{ID},
M. Mormile^{ID}, Th. Müller^{ID}, M. Neukum, M. Oh^{ID}, E. Pfeffer^{ID}, M. Presilla^{ID}, G. Quast^{ID}, K. Rabbertz^{ID},

B. Regnery^{}, N. Shadskiy^{}, I. Shvetsov^{}, H.J. Simonis^{}, L. Sowa, L. Stockmeier, K. Tauqeer, M. Toms^{},
N. Trevisani^{}, R.F. Von Cube^{}, M. Wassmer^{}, S. Wieland^{}, F. Wittig, R. Wolf^{}, X. Zuo^{}

Karlsruher Institut fuer Technologie, Karlsruhe, Germany

G. Anagnostou, G. Daskalakis^{}, A. Kyriakis^{}, A. Papadopoulos^{}³², A. Stakia^{}

Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece

P. Kontaxakis^{}, G. Melachroinos, Z. Painesis^{}, I. Papavergou^{}, I. Paraskevas^{}, N. Saoulidou^{},
K. Theofilatos^{}, E. Tziaferi^{}, K. Vellidis^{}, I. Zisopoulos^{}

National and Kapodistrian University of Athens, Athens, Greece

G. Bakas^{}, T. Chatzistavrou, G. Karapostoli^{}, K. Kousouris^{}, I. Papakrivopoulos^{}, E. Siamarkou,
G. Tsipolitis^{}, A. Zacharopoulou

National Technical University of Athens, Athens, Greece

K. Adamidis, I. Bestintzanos, I. Evangelou^{}, C. Foudas, C. Kamtsikis, P. Katsoulis, P. Kokkas^{},
P.G. Kosmoglou Kioseoglou^{}, N. Manthos^{}, I. Papadopoulos^{}, J. Strologas^{}

University of Ioánnina, Ioánnina, Greece

C. Hajdu^{}, D. Horvath^{}^{33,34}, K. Márton, A.J. Rádl^{}³⁵, F. Sikler^{}, V. Veszpremi^{}

HUN-REN Wigner Research Centre for Physics, Budapest, Hungary

M. Csanád^{}, K. Farkas^{}, A. Fehérkúti^{}³⁶, M.M.A. Gadallah^{}³⁷, Á. Kadlecik^{}, P. Major^{}, G. Pásztor^{},
G.I. Veres^{}

MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary

B. Ujvari^{}, G. Zilizi^{}

Faculty of Informatics, University of Debrecen, Debrecen, Hungary

G. Bencze, S. Czellar, J. Molnar, Z. Szillasi

HUN-REN ATOMKI - Institute of Nuclear Research, Debrecen, Hungary

T. Csorgo^{}³⁶, F. Nemes^{}³⁶, T. Novak^{}

Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary

J. Babbar^{}, S. Bansal^{}, S.B. Beri, V. Bhatnagar^{}, G. Chaudhary^{}, S. Chauhan^{}, N. Dhingra^{}³⁸,
A. Kaur^{}, A. Kaur^{}, H. Kaur^{}, M. Kaur^{}, S. Kumar^{}, K. Sandeep^{}, T. Sheokand, J.B. Singh^{}, A. Singla^{}

Panjab University, Chandigarh, India

A. Ahmed^{}, A. Bhardwaj^{}, A. Chhetri^{}, B.C. Choudhary^{}, A. Kumar^{}, A. Kumar^{}, M. Naimuddin^{},
K. Ranjan^{}, M.K. Saini, S. Saumya^{}

University of Delhi, Delhi, India

S. Baradia^{}, S. Barman^{}³⁹, S. Bhattacharya^{}, S. Das Gupta, S. Dutta^{}, S. Dutta, S. Sarkar

Saha Institute of Nuclear Physics, HBNI, Kolkata, India

M.M. Ameen^{}, P.K. Behera^{}, S.C. Behera^{}, S. Chatterjee^{}, G. Dash^{}, P. Jana^{}, P. Kalbhor^{},
S. Kamble^{}, J.R. Komaragiri^{}⁴⁰, D. Kumar^{}⁴⁰, P.R. Pujahari^{}, N.R. Saha^{}, A. Sharma^{}, A.K. Sikdar^{},
R.K. Singh^{}, P. Verma^{}, S. Verma^{}, A. Vijay^{}

Indian Institute of Technology Madras, Madras, India

S. Dugad^{ID}, G.B. Mohanty^{ID}, B. Parida^{ID}, M. Shelake, P. Suryadevara

Tata Institute of Fundamental Research-A, Mumbai, India

A. Bala^{ID}, S. Banerjee^{ID}, R.M. Chatterjee, M. Guchait^{ID}, Sh. Jain^{ID}, A. Jaiswal, S. Kumar^{ID}, G. Majumder^{ID}, K. Mazumdar^{ID}, S. Parolia^{ID}, A. Thachayath^{ID}

Tata Institute of Fundamental Research-B, Mumbai, India

S. Bahinipati^{ID,41}, C. Kar^{ID}, D. Maity^{ID,42}, P. Mal^{ID}, T. Mishra^{ID}, V.K. Muraleedharan Nair Bindhu^{ID,42}, K. Naskar^{ID,42}, A. Nayak^{ID,42}, S. Nayak, K. Pal^{ID}, P. Sadangi, S.K. Swain^{ID}, S. Varghese^{ID,42}, D. Vats^{ID,42}

National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India

S. Acharya^{ID,43}, A. Alpana^{ID}, S. Dube^{ID}, B. Gomber^{ID,43}, P. Hazarika^{ID}, B. Kansal^{ID}, A. Laha^{ID}, B. Sahu^{ID,43}, S. Sharma^{ID}, K.Y. Vaish^{ID}

Indian Institute of Science Education and Research (IISER), Pune, India

H. Bakhshiansohi^{ID,44}, A. Jafari^{ID,45}, M. Zeinali^{ID,46}

Isfahan University of Technology, Isfahan, Iran

S. Bashiri, S. Chenarani^{ID,47}, S.M. Etesami^{ID}, Y. Hosseini^{ID}, M. Khakzad^{ID}, E. Khazaie^{ID,48}, M. Mohammadi Najafabadi^{ID}, S. Tizchang^{ID,49}

Institute for Research in Fundamental Sciences (IPM), Tehran, Iran

M. Felcini^{ID}, M. Grunewald^{ID}

University College Dublin, Dublin, Ireland

M. Abbrescia^{a,b,ID}, A. Colaleo^{a,b,ID}, D. Creanza^{a,c,ID}, B. D'Anzi^{a,b,ID}, N. De Filippis^{a,c,ID}, M. De Palma^{a,b,ID}, W. Elmetenawee^{a,b,ID,18}, L. Fiore^{a,ID}, G. Iaselli^{a,c,ID}, L. Longo^{a,ID}, M. Louka^{a,b}, G. Maggi^{a,c,ID}, M. Maggi^{a,ID}, I. Margjeka^{a,ID}, V. Mastrapasqua^{a,b,ID}, S. My^{a,b,ID}, S. Nuzzo^{a,b,ID}, A. Pellecchia^{a,b,ID}, A. Pompili^{a,b,ID}, G. Pugliese^{a,c,ID}, R. Radogna^{a,b,ID}, D. Ramos^{a,ID}, A. Ranieri^{a,ID}, L. Silvestris^{a,ID}, F.M. Simone^{a,c,ID}, Ü. Sözbilir^{a,ID}, A. Stamerra^{a,b,ID}, D. Troiano^{a,b,ID}, R. Venditti^{a,b,ID}, P. Verwilligen^{a,ID}, A. Zaza^{a,b,ID}

^a INFN Sezione di Bari, Bari, Italy

^b Università di Bari, Bari, Italy

^c Politecnico di Bari, Bari, Italy

G. Abbiendi^{ID}, C. Battilana^{a,b,ID}, D. Bonacorsi^{a,b,ID}, P. Capiluppi^{a,b,ID}, A. Castro^{a,b,ID,†}, F.R. Cavallo^{a,ID}, M. Cuffiani^{a,b,ID}, G.M. Dallavalle^{a,ID}, T. Diotallevi^{a,b,ID}, F. Fabbri^{a,ID}, A. Fanfani^{a,b,ID}, D. Fasanella^{a,ID}, P. Giacomelli^{a,ID}, L. Giommi^{a,b,ID}, C. Grandi^{a,ID}, L. Guiducci^{a,b,ID}, S. Lo Meo^{a,ID,50}, M. Lorusso^{a,b,ID}, L. Lunerti^{a,ID}, S. Marcellini^{a,ID}, G. Masetti^{a,ID}, F.L. Navarria^{a,b,ID}, G. Paggi^{a,b,ID}, A. Perrotta^{a,ID}, F. Primavera^{a,b,ID}, A.M. Rossi^{a,b,ID}, S. Rossi Tisbeni^{a,b,ID}, T. Rovelli^{a,b,ID}, G.P. Siroli^{a,b,ID}

^a INFN Sezione di Bologna, Bologna, Italy

^b Università di Bologna, Bologna, Italy

S. Costa^{a,b,ID,51}, A. Di Mattia^{a,ID}, A. Lapertosa^{a,ID}, R. Potenza^{a,b}, A. Tricomi^{a,b,ID,51}, C. Tuve^{a,b,ID}

^a INFN Sezione di Catania, Catania, Italy

^b Università di Catania, Catania, Italy

P. Assiouras^{a,ID}, G. Barbagli^{a,ID}, G. Bardelli^{a,b,ID}, B. Camaiani^{a,b,ID}, A. Cassese^{a,ID}, R. Ceccarelli^{a,ID}, V. Ciulli^{a,b,ID}, C. Civinini^{a,ID}, R. D'Alessandro^{a,b,ID}, E. Focardi^{a,b,ID}, T. Kello^{a,ID}, G. Latino^{a,b,ID}, P. Lenzi^{a,b,ID}, M. Lizzo^{a,ID}, M. Meschini^{a,ID}, S. Paoletti^{a,ID}, A. Papanastassiou^{a,b}, G. Sguazzoni^{a,ID}, L. Viliani^{a,ID}

^a INFN Sezione di Firenze, Firenze, Italy

^b Università di Firenze, Firenze, ItalyL. Benussi^{id}, S. Bianco^{id}, S. Meola^{id,52}, D. Piccolo^{id}

INFN Laboratori Nazionali di Frascati, Frascati, Italy

P. Chatagnon^{a, id}, F. Ferro^{a, id}, E. Robutti^{a, id}, S. Tosi^{a, b, id}^a INFN Sezione di Genova, Genova, Italy^b Università di Genova, Genova, ItalyA. Benaglia^{a, id}, G. Boldrini^{a, b, id}, F. Brivio^{a, id}, F. Cetorelli^{a, b, id}, F. De Guio^{a, b, id}, M.E. Dinardo^{a, b, id}, P. Dini^{a, id}, S. Gennai^{a, id}, R. Gerosa^{a, b, id}, A. Ghezzi^{a, b, id}, P. Govoni^{a, b, id}, L. Guzzi^{a, id}, M.T. Lucchini^{a, b, id}, M. Malberti^{a, id}, S. Malvezzi^{a, id}, A. Massironi^{a, id}, D. Menasce^{a, id}, L. Moroni^{a, id}, M. Paganoni^{a, b, id}, S. Palluotto^{a, b, id}, D. Pedrini^{a, id}, A. Perego^{a, b, id}, B.S. Pinolini^a, G. Pizzati^{a, b, id}, S. Ragazzi^{a, b, id}, T. Tabarelli de Fatis^{a, b, id}^a INFN Sezione di Milano-Bicocca, Milano, Italy^b Università di Milano-Bicocca, Milano, ItalyS. Buontempo^{a, id}, A. Cagnotta^{a, b, id}, F. Carnevali^{a, b}, N. Cavallo^{a, c, id}, F. Fabozzi^{a, c, id}, A.O.M. Iorio^{a, b, id}, L. Lista^{a, b, id, 53}, P. Paolucci^{a, id, 32}, B. Rossi^{a, id}^a INFN Sezione di Napoli, Napoli, Italy^b Università di Napoli 'Federico II', Napoli, Italy^c Università della Basilicata, Potenza, Italy^d Scuola Superiore Meridionale (SSM), Napoli, ItalyR. Ardino^{a, id}, P. Azzi^{a, id}, N. Bacchetta^{a, id, 54}, M. Biasotto^{a, id, 55}, D. Bisello^{a, b, id}, P. Bortignon^{a, id}, G. Bortolato^{a, b}, A. Bragagnolo^{a, b, id}, A.C.M. Bulla^{a, id}, P. Checchia^{a, id}, T. Dorigo^{a, id}, F. Gasparini^{a, b, id}, U. Gasparini^{a, b, id}, R. Gröber^{a, b, id}, E. Lusiani^{a, id}, M. Margoni^{a, b, id}, A.T. Meneguzzo^{a, b, id}, M. Migliorini^{a, b, id}, J. Pazzini^{a, b, id}, P. Ronchese^{a, b, id}, R. Rossin^{a, b, id}, F. Simonetto^{a, b, id}, M. Tosi^{a, b, id}, A. Triossi^{a, b, id}, S. Ventura^{a, id}, M. Zanetti^{a, b, id}, P. Zotto^{a, b, id}, A. Zucchetta^{a, b, id}, G. Zumerle^{a, b, id}^a INFN Sezione di Padova, Padova, Italy^b Università di Padova, Padova, Italy^c Università di Trento, Trento, ItalyC. Aimè^{a, id}, A. Braghieri^{a, id}, S. Calzaferri^{a, id}, D. Fiorina^{a, id}, P. Montagna^{a, b, id}, V. Re^{a, id}, C. Riccardi^{a, b, id}, P. Salvini^{a, id}, I. Vai^{a, b, id}, P. Vitulo^{a, b, id}^a INFN Sezione di Pavia, Pavia, Italy^b Università di Pavia, Pavia, ItalyS. Ajmal^{a, b, id}, M.E. Ascoti^{a, b}, G.M. Bilei^{a, id}, C. Carrivale^{a, b}, D. Ciangottini^{a, b, id}, L. Fanò^{a, b, id}, M. Magherini^{a, b, id}, V. Mariani^{a, b, id}, M. Menichelli^{a, id}, F. Moscatelli^{a, id, 56}, A. Rossi^{a, b, id}, A. Santocchia^{a, b, id}, D. Spiga^{a, id}, T. Tedeschi^{a, b, id}^a INFN Sezione di Perugia, Perugia, Italy^b Università di Perugia, Perugia, ItalyC.A. Alexe^{a, c, id}, P. Asenov^{a, b, id}, P. Azzurri^{a, id}, G. Bagliesi^{a, id}, R. Bhattacharya^{a, id}, L. Bianchini^{a, b, id}, T. Boccali^{a, id}, E. Bossini^{a, id}, D. Bruschini^{a, c, id}, R. Castaldi^{a, id}, M.A. Ciocci^{a, b, id}, M. Cipriani^{a, b, id}, V. D'Amante^{a, d, id}, R. Dell'Orso^{a, id}, S. Donato^{a, id}, A. Giassi^{a, id}, F. Ligabue^{a, c, id}, A.C. Marini^{a, id}, D. Matos Figueiredo^{a, id}, A. Messineo^{a, b, id}, M. Musich^{a, b, id}, F. Palla^{a, id}, A. Rizzi^{a, b, id}, G. Rolandi^{a, c, id}, S. Roy Chowdhury^{a, id}, T. Sarkar^{a, id}, A. Scribano^{a, id}, P. Spagnolo^{a, id}, R. Tenchini^{a, id}, G. Tonelli^{a, b, id}, N. Turini^{a, d, id}, F. Vaselli^{a, c, id}, A. Venturi^{a, id}, P.G. Verdini^{a, id}^a INFN Sezione di Pisa, Pisa, Italy^b Università di Pisa, Pisa, Italy^c Scuola Normale Superiore di Pisa, Pisa, Italy

^d *Università di Siena, Siena, Italy*

C. Baldenegro Barrera ^{a,b, ID}, P. Barria ^{a, ID}, C. Basile ^{a,b, ID}, M. Campana ^{a,b, ID}, F. Cavallari ^{a, ID},
 L. Cunqueiro Mendez ^{a,b, ID}, D. Del Re ^{a,b, ID}, E. Di Marco ^{a,b, ID}, M. Diemoz ^{a, ID}, F. Errico ^{a,b, ID}, E. Longo ^{a,b, ID},
 J. Mijuskovic ^{a,b, ID}, G. Organtini ^{a,b, ID}, F. Pandolfi ^{a, ID}, R. Paramatti ^{a,b, ID}, C. Quaranta ^{a,b, ID}, S. Rahatlou ^{a,b, ID},
 C. Rovelli ^{a, ID}, F. Santanastasio ^{a,b, ID}, L. Soffi ^{a, ID}

^a *INFN Sezione di Roma, Roma, Italy*^b *Sapienza Università di Roma, Roma, Italy*

N. Amapane ^{a,b, ID}, R. Arcidiacono ^{a,c, ID}, S. Argiro ^{a,b, ID}, M. Arneodo ^{a,c, ID}, N. Bartosik ^{a, ID}, R. Bellan ^{a,b, ID},
 A. Bellora ^{a,b, ID}, C. Biino ^{a, ID}, C. Borca ^{a,b, ID}, N. Cartiglia ^{a, ID}, M. Costa ^{a,b, ID}, R. Covarelli ^{a,b, ID}, N. Demaria ^{a, ID},
 L. Finco ^{a, ID}, M. Grippo ^{a,b, ID}, B. Kiani ^{a,b, ID}, F. Legger ^{a, ID}, F. Luongo ^{a,b, ID}, C. Mariotti ^{a, ID}, L. Markovic ^{a,b, ID},
 S. Maselli ^{a, ID}, A. Mecca ^{a,b, ID}, L. Menzio ^{a,b}, P. Meridiani ^{a, ID}, E. Migliore ^{a,b, ID}, M. Monteno ^{a, ID}, R. Mulargia ^{a, ID},
 M.M. Obertino ^{a,b, ID}, G. Ortona ^{a, ID}, L. Pacher ^{a,b, ID}, N. Pastrone ^{a, ID}, M. Pelliccioni ^{a, ID}, M. Ruspa ^{a,c, ID},
 F. Siviero ^{a,b, ID}, V. Sola ^{a,b, ID}, A. Solano ^{a,b, ID}, A. Staiano ^{a, ID}, C. Tarricone ^{a,b, ID}, D. Trocino ^{a, ID}, G. Umoret ^{a,b, ID},
 R. White ^{a,b, ID}

^a *INFN Sezione di Torino, Torino, Italy*^b *Università di Torino, Torino, Italy*^c *Università del Piemonte Orientale, Novara, Italy*

S. Belforte ^{a, ID}, V. Candelise ^{a,b, ID}, M. Casarsa ^{a, ID}, F. Cossutti ^{a, ID}, K. De Leo ^{a, ID}, G. Della Ricca ^{a,b, ID}

^a *INFN Sezione di Trieste, Trieste, Italy*^b *Università di Trieste, Trieste, Italy*

S. Dogra ^{ID}, J. Hong ^{ID}, C. Huh ^{ID}, B. Kim ^{ID}, J. Kim, D. Lee, H. Lee, S.W. Lee ^{ID}, C.S. Moon ^{ID}, Y.D. Oh ^{ID},
 M.S. Ryu ^{ID}, S. Sekmen ^{ID}, B. Tae, Y.C. Yang ^{ID}

*Kyungpook National University, Daegu, Korea*M.S. Kim ^{ID}*Department of Mathematics and Physics - GWNu, Gangneung, Korea*

G. Bak ^{ID}, P. Gwak ^{ID}, H. Kim ^{ID}, D.H. Moon ^{ID}

Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea

E. Asilar ^{ID}, J. Choi ^{ID}, D. Kim ^{ID}, T.J. Kim ^{ID}, J.A. Merlin, Y. Ryou

Hanyang University, Seoul, Korea

S. Choi ^{ID}, S. Han, B. Hong ^{ID}, K. Lee, K.S. Lee ^{ID}, S. Lee ^{ID}, J. Yoo ^{ID}

Korea University, Seoul, Korea

J. Goh ^{ID}, S. Yang ^{ID}

Kyung Hee University, Department of Physics, Seoul, Korea

H.S. Kim ^{ID}, Y. Kim, S. Lee

Sejong University, Seoul, Korea

J. Almond, J.H. Bhyun, J. Choi ^{ID}, J. Choi, W. Jun ^{ID}, J. Kim ^{ID}, S. Ko ^{ID}, H. Kwon ^{ID}, H. Lee ^{ID}, J. Lee ^{ID},
 J. Lee ^{ID}, B.H. Oh ^{ID}, S.B. Oh ^{ID}, H. Seo ^{ID}, U.K. Yang, I. Yoon ^{ID}

Seoul National University, Seoul, Korea

W. Jang ^{ID}, D.Y. Kang, Y. Kang ^{ID}, S. Kim ^{ID}, B. Ko, J.S.H. Lee ^{ID}, Y. Lee ^{ID}, I.C. Park ^{ID}, Y. Roh, I.J. Watson ^{ID}

University of Seoul, Seoul, Korea

S. Ha , H.D. Yoo 

Yonsei University, Department of Physics, Seoul, Korea

M. Choi , M.R. Kim , H. Lee, Y. Lee , I. Yu 

Sungkyunkwan University, Suwon, Korea

T. Beyrouthy , Y. Gharbia 

College of Engineering and Technology, American University of the Middle East (AUM), Dasman, Kuwait

F. Alazemi 

Kuwait University - College of Science - Department of Physics, Safat, Kuwait

K. Dreimanis , A. Gaile , G. Pikurs, A. Potrebko , M. Seidel , D. Sidiropoulos Kontos 

Riga Technical University, Riga, Latvia

N.R. Strautnieks 

University of Latvia (LU), Riga, Latvia

M. Ambrozas , A. Juodagalvis , A. Rinkevicius , G. Tamulaitis 

Vilnius University, Vilnius, Lithuania

I. Yusuff ,⁵⁷ Z. Zolkapli

National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia

J.F. Benitez , A. Castaneda Hernandez , H.A. Encinas Acosta, L.G. Gallegos Maríñez, M. León Coello ,
J.A. Murillo Quijada , A. Sehwat , L. Valencia Palomo 

Universidad de Sonora (UNISON), Hermosillo, Mexico

G. Ayala , H. Castilla-Valdez , H. Crotte Ledesma, E. De La Cruz-Burelo , I. Heredia-De La Cruz ,⁵⁸
R. Lopez-Fernandez , C.A. Mondragon Herrera, A. Sánchez Hernández 

Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico

C. Oropeza Barrera , D.L. Ramirez Guadarrama, M. Ramírez García 

Universidad Iberoamericana, Mexico City, Mexico

I. Bautista , I. Pedraza , H.A. Salazar Ibarguen , C. Uribe Estrada 

Benemerita Universidad Autonoma de Puebla, Puebla, Mexico

I. Bujanja , N. Raicevic 

University of Montenegro, Podgorica, Montenegro

P.H. Butler 

University of Canterbury, Christchurch, New Zealand

A. Ahmad , M.I. Asghar, A. Awais , M.I.M. Awan, H.R. Hoorani , W.A. Khan 

National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan

V. Avati, L. Grzanka , M. Malawski 

AGH University of Krakow, Faculty of Computer Science, Electronics and Telecommunications, Krakow, Poland

H. Bialkowska , M. Bluj , M. Górski , M. Kazana , M. Szleper , P. Zalewski 

National Centre for Nuclear Research, Swierk, Poland

K. Bunkowski^{ID}, K. Doroba^{ID}, A. Kalinowski^{ID}, M. Konecki^{ID}, J. Krolikowski^{ID}, A. Muhammad^{ID}

Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland

K. Pozniak^{ID}, W. Zabolotny^{ID}

Warsaw University of Technology, Warsaw, Poland

M. Araujo^{ID}, D. Bastos^{ID}, C. Beirão Da Cruz E Silva^{ID}, A. Boletti^{ID}, M. Bozzo^{ID}, T. Camporesi^{ID},
G. Da Molin^{ID}, P. Faccioli^{ID}, M. Gallinaro^{ID}, J. Hollar^{ID}, N. Leonardo^{ID}, G.B. Marozzo^{ID}, T. Niknejad^{ID},
A. Petrilli^{ID}, M. Pisano^{ID}, J. Seixas^{ID}, J. Varela^{ID}, J.W. Wulff^{ID}

Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal

P. Adzic^{ID}, P. Milenovic^{ID}

Faculty of Physics, University of Belgrade, Belgrade, Serbia

M. Dordevic^{ID}, J. Milosevic^{ID}, L. Nadder^{ID}, V. Rekovic

VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

J. Alcaraz Maestre^{ID}, Cristina F. Bedoya^{ID}, Oliver M. Carretero^{ID}, M. Cepeda^{ID}, M. Cerrada^{ID}, N. Colino^{ID},
B. De La Cruz^{ID}, A. Delgado Peris^{ID}, A. Escalante Del Valle^{ID}, D. Fernández Del Val^{ID},
J.P. Fernández Ramos^{ID}, J. Flix^{ID}, M.C. Fouz^{ID}, O. Gonzalez Lopez^{ID}, S. Goy Lopez^{ID}, J.M. Hernandez^{ID},
M.I. Josa^{ID}, E. Martin Viscasillas^{ID}, D. Moran^{ID}, C.M. Morcillo Perez^{ID}, Á. Navarro Tobar^{ID},
C. Perez Dengra^{ID}, A. Pérez-Calero Yzquierdo^{ID}, J. Puerta Pelayo^{ID}, I. Redondo^{ID}, S. Sánchez Navas^{ID},
J. Sastre^{ID}, J. Vazquez Escobar^{ID}

Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain

J.F. de Trocóniz^{ID}

Universidad Autónoma de Madrid, Madrid, Spain

B. Alvarez Gonzalez^{ID}, J. Cuevas^{ID}, J. Fernandez Menendez^{ID}, S. Folgueras^{ID}, I. Gonzalez Caballero^{ID},
J.R. González Fernández^{ID}, P. Leguina^{ID}, E. Palencia Cortezon^{ID}, J. Prado Pico^{ID}, C. Ramón Álvarez^{ID},
V. Rodríguez Bouza^{ID}, A. Soto Rodríguez^{ID}, A. Trapote^{ID}, C. Vico Villalba^{ID}, P. Vischia^{ID}

Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain

S. Bhowmik^{ID}, S. Blanco Fernández^{ID}, J.A. Brochero Cifuentes^{ID}, I.J. Cabrillo^{ID}, A. Calderon^{ID},
J. Duarte Campderros^{ID}, M. Fernandez^{ID}, G. Gomez^{ID}, C. Lasasa García^{ID}, R. Lopez Ruiz^{ID},
C. Martinez Rivero^{ID}, P. Martinez Ruiz del Arbol^{ID}, F. Matorras^{ID}, P. Matorras Cuevas^{ID},
E. Navarrete Ramos^{ID}, J. Piedra Gomez^{ID}, L. Scodellaro^{ID}, I. Vila^{ID}, J.M. Vizan Garcia^{ID}

Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain

B. Kailasapathy^{ID,59}, D.D.C. Wickramaratna^{ID}

University of Colombo, Colombo, Sri Lanka

W.G.D. Dharmaratna^{ID,60}, K. Liyanage^{ID}, N. Perera^{ID}

University of Ruhuna, Department of Physics, Matara, Sri Lanka

D. Abbaneo^{ID}, C. Amendola^{ID}, E. Auffray^{ID}, G. Auzinger^{ID}, J. Baechler^{ID}, D. Barney^{ID},
A. Bermúdez Martínez^{ID}, M. Bianco^{ID}, A.A. Bin Anuar^{ID}, A. Bocci^{ID}, L. Borgonovi^{ID}, C. Botta^{ID},

E. Brondolin^{ID}, C. Caillol^{ID}, G. Cerminara^{ID}, N. Chernyavskaya^{ID}, D. d'Enterria^{ID}, A. Dabrowski^{ID},
 A. David^{ID}, A. De Roeck^{ID}, M.M. Defranchis^{ID}, M. Deile^{ID}, M. Dobson^{ID}, G. Franzoni^{ID}, W. Funk^{ID}, S. Giani,
 D. Gigi^{ID}, K. Gill^{ID}, F. Glege^{ID}, J. Hegeman^{ID}, J.K. Heikkilä^{ID}, B. Huber^{ID}, V. Innocente^{ID}, T. James^{ID},
 P. Janot^{ID}, O. Kaluzinska^{ID}, O. Karacheban^{ID,30}, S. Laurila^{ID}, P. Lecoq^{ID}, E. Leutgeb^{ID}, C. Lourenço^{ID},
 L. Malgeri^{ID}, M. Mannelli^{ID}, M. Matthewman^{ID}, A. Mehta^{ID}, F. Meijers^{ID}, S. Mersi^{ID}, E. Meschi^{ID},
 V. Milosevic^{ID}, F. Monti^{ID}, F. Moortgat^{ID}, M. Mulders^{ID}, I. Neutelings^{ID}, S. Orfanelli^{ID}, F. Pantaleo^{ID},
 G. Petrucciani^{ID}, A. Pfeiffer^{ID}, M. Pierini^{ID}, H. Qu^{ID}, D. Rabadý^{ID}, B. Ribeiro Lopes^{ID}, M. Rovere^{ID},
 H. Sakulin^{ID}, S. Sanchez Cruz^{ID}, S. Scarfi^{ID}, C. Schwick^{ID}, M. Selvaggi^{ID}, A. Sharma^{ID}, K. Shchelina^{ID},
 P. Silva^{ID}, P. Sphicas^{ID,61}, A.G. Stahl Leiton^{ID}, A. Steen^{ID}, S. Summers^{ID}, D. Treille^{ID}, P. Tropea^{ID},
 D. Walter^{ID}, J. Wanczyk^{ID,62}, J. Wang^{ID}, S. Wuchterl^{ID}, P. Zehetner^{ID}, P. Zexdl^{ID}, W.D. Zeuner

CERN, European Organization for Nuclear Research, Geneva, Switzerland

T. Bevilacqua^{ID,63}, L. Caminada^{ID,63}, A. Ebrahimi^{ID}, W. Erdmann^{ID}, R. Horisberger^{ID}, Q. Ingram^{ID},
 H.C. Kaestli^{ID}, D. Kotlinski^{ID}, C. Lange^{ID}, M. Missiroli^{ID,63}, L. Noehte^{ID,63}, T. Rohe

PSI Center for Neutron and Muon Sciences, Villigen, Switzerland

T.K. Aarrestad^{ID}, K. Androsov^{ID,62}, M. Backhaus^{ID}, G. Bonomelli^{ID}, A. Calandri^{ID}, C. Cazzaniga^{ID},
 K. Datta^{ID}, P. De Bryas Dexmiers D'archiac^{ID,62}, A. De Cosa^{ID}, G. Dissertori^{ID}, M. Dittmar^{ID}, M. Donegà^{ID},
 F. Eble^{ID}, M. Galli^{ID}, K. Gedia^{ID}, F. Glessgen^{ID}, C. Grab^{ID}, N. Härringer^{ID}, T.G. Harte^{ID}, D. Hits^{ID},
 W. Lustermann^{ID}, A.-M. Lyon^{ID}, R.A. Manzoni^{ID}, M. Marchegiani^{ID}, L. Marchese^{ID}, C. Martin Perez^{ID},
 A. Mascellani^{ID,62}, F. Nessi-Tedaldi^{ID}, F. Pauss^{ID}, V. Perovic^{ID}, S. Pigazzini^{ID}, C. Reissel^{ID}, T. Reitenspiess^{ID},
 B. Ristic^{ID}, F. Riti^{ID}, R. Seidita^{ID}, J. Steggemann^{ID,62}, A. Tarabini^{ID}, D. Valsecchi^{ID}, R. Wallny

ETH Zurich - Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland

C. Amsler^{ID,64}, P. Bärttschi^{ID}, M.F. Canelli^{ID}, K. Cormier^{ID}, M. Huwiler^{ID}, W. Jin^{ID}, A. Jofrehei^{ID},
 B. Kilminster^{ID}, S. Leontsinis^{ID}, S.P. Liechti^{ID}, A. Macchiolo^{ID}, P. Meiring^{ID}, F. Meng^{ID}, U. Molinatti^{ID},
 J. Motta^{ID}, A. Reimers^{ID}, P. Robmann^{ID}, M. Senger^{ID}, E. Shokr^{ID}, F. Stäger^{ID}, R. Tramontano

Universität Zürich, Zurich, Switzerland

C. Adloff^{ID,65}, D. Bhowmik^{ID}, C.M. Kuo^{ID}, W. Lin^{ID}, P.K. Rout^{ID}, P.C. Tiwari^{ID,40}, S.S. Yu

National Central University, Chung-Li, Taiwan

L. Ceard^{ID}, K.F. Chen^{ID}, P.s. Chen^{ID}, Z.g. Chen^{ID}, A. De Iorio^{ID}, W.-S. Hou^{ID}, T.h. Hsu^{ID}, Y.w. Kao^{ID}, S. Karmakar^{ID},
 G. Kole^{ID}, Y.y. Li^{ID}, R.-S. Lu^{ID}, E. Paganis^{ID}, X.f. Su^{ID}, J. Thomas-Wilsker^{ID}, L.s. Tsai^{ID}, H.y. Wu^{ID}, E. Yazgan^{ID}

National Taiwan University (NTU), Taipei, Taiwan

C. Asawatangkuldee^{ID}, N. Srimanobhas^{ID}, V. Wachirapusanand^{ID}

High Energy Physics Research Unit, Department of Physics, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

D. Agyel^{ID}, F. Boran^{ID}, F. Dolek^{ID}, I. Dumanoglu^{ID,66}, E. Eskut^{ID}, Y. Guler^{ID,67}, E. Gurpinar Guler^{ID,67},
 C. Isik^{ID}, O. Kara^{ID}, A. Kayis Topaksu^{ID}, U. Kiminsu^{ID}, G. Onengut^{ID}, K. Ozdemir^{ID,68}, A. Polatoz^{ID},
 B. Tali^{ID,69}, U.G. Tok^{ID}, S. Turkcpar^{ID}, E. Usilan^{ID}, I.S. Zorbakir

Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey

G. Sokmen^{ID}, M. Yalvac^{ID,70}

Middle East Technical University, Physics Department, Ankara, Turkey

B. Akgun^{ID}, I.O. Atakisi^{ID}, E. Gülmez^{ID}, M. Kaya^{ID,71}, O. Kaya^{ID,72}, S. Tekten^{ID,73}

Bogazici University, Istanbul, Turkey

A. Cakir^{ID}, K. Cankocak^{ID,66,74}, G.G. Dincer^{ID,66}, Y. Komurcu^{ID}, S. Sen^{ID,75}

Istanbul Technical University, Istanbul, Turkey

O. Aydilek^{ID,76}, B. Hacisahinoglu^{ID}, I. Hos^{ID,77}, B. Kaynak^{ID}, S. Ozkorucuklu^{ID}, O. Potok^{ID}, H. Sert^{ID},
C. Simsek^{ID}, C. Zorbilmez^{ID}

Istanbul University, Istanbul, Turkey

S. Cerci^{ID,69}, B. Isildak^{ID,78}, D. Sunar Cerci^{ID}, T. Yetkin^{ID}

Yildiz Technical University, Istanbul, Turkey

A. Boyaryntsev^{ID}, B. Grynyov^{ID}

Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine

L. Levchuk^{ID}

National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine

D. Anthony^{ID}, J.J. Brooke^{ID}, A. Bundock^{ID}, F. Bury^{ID}, E. Clement^{ID}, D. Cussans^{ID}, H. Flacher^{ID},
M. Glowacki, J. Goldstein^{ID}, H.F. Heath^{ID}, M.-L. Holmberg^{ID}, L. Kreczko^{ID}, S. Paramesvaran^{ID},
L. Robertshaw, S. Seif El Nasr-Storey, V.J. Smith^{ID}, N. Stylianou^{ID,79}, K. Walkingshaw Pass

University of Bristol, Bristol, United Kingdom

A.H. Ball, K.W. Bell^{ID}, A. Belyaev^{ID,80}, C. Brew^{ID}, R.M. Brown^{ID}, D.J.A. Cockerill^{ID}, C. Cooke^{ID}, A. Elliot^{ID},
K.V. Ellis, K. Harder^{ID}, S. Harper^{ID}, J. Linacre^{ID}, K. Manolopoulos, D.M. Newbold^{ID}, E. Olaiya, D. Petyt^{ID},
T. Reis^{ID}, A.R. Sahasransu^{ID}, G. Salvi^{ID}, T. Schuh, C.H. Shepherd-Themistocleous^{ID}, I.R. Tomalin^{ID},
K.C. Whalen^{ID}, T. Williams^{ID}

Rutherford Appleton Laboratory, Didcot, United Kingdom

I. Andreou^{ID}, R. Bainbridge^{ID}, P. Bloch^{ID}, C.E. Brown^{ID}, O. Buchmuller, V. Cacchio, C.A. Carrillo Montoya^{ID},
G.S. Chahal^{ID,81}, D. Colling^{ID}, J.S. Dancu, I. Das^{ID}, P. Dauncey^{ID}, G. Davies^{ID}, J. Davies, M. Della Negra^{ID},
S. Fayer, G. Fedi^{ID}, G. Hall^{ID}, M.H. Hassanshahi^{ID}, A. Howard, G. Iles^{ID}, M. Knight^{ID}, J. Langford^{ID},
J. León Holgado^{ID}, L. Lyons^{ID}, A.-M. Magnan^{ID}, S. Mallios, M. Mieskolainen^{ID}, J. Nash^{ID,82}, M. Pesaresi^{ID},
P.B. Pradeep, B.C. Radburn-Smith^{ID}, A. Richards, A. Rose^{ID}, K. Savva^{ID}, C. Seez^{ID}, R. Shukla^{ID}, A. Tapper^{ID},
K. Uchida^{ID}, G.P. Uttley^{ID}, L.H. Vage, T. Virdee^{ID,32}, M. Vojinovic^{ID}, N. Wardle^{ID}, D. Winterbottom^{ID}

Imperial College, London, United Kingdom

K. Coldham, J.E. Cole^{ID}, A. Khan, P. Kyberd^{ID}, I.D. Reid^{ID}

Brunel University, Uxbridge, United Kingdom

S. Abdullin^{ID}, A. Brinkerhoff^{ID}, E. Collins^{ID}, J. Dittmann^{ID}, K. Hatakeyama^{ID}, J. Hiltbrand^{ID},
B. McMaster^{ID}, J. Samudio^{ID}, S. Sawant^{ID}, C. Sutantawibul^{ID}, J. Wilson^{ID}

Baylor University, Waco, TX, USA

R. Bartek^{ID}, A. Dominguez^{ID}, C. Huerta Escamilla, A.E. Simsek^{ID}, R. Uniyal^{ID}, A.M. Vargas Hernandez^{ID}

Catholic University of America, Washington, DC, USA

B. Bam^{ID}, A. Buchot Perraguin^{ID}, R. Chudasama^{ID}, S.I. Cooper^{ID}, C. Crovella^{ID}, S.V. Gleyzer^{ID}, E. Pearson, C.U. Perez^{ID}, P. Rumerio^{ID},⁸³, E. Usai^{ID}, R. Yi^{ID}

The University of Alabama, Tuscaloosa, AL, USA

A. Akpinar^{ID}, C. Cosby^{ID}, G. De Castro, Z. Demiragli^{ID}, C. Erice^{ID}, C. Fangmeier^{ID}, C. Fernandez Madrazo^{ID}, E. Fontanesi^{ID}, D. Gastler^{ID}, F. Golf^{ID}, S. Jeon^{ID}, J. O'cain, I. Reed^{ID}, J. Rohlf^{ID}, K. Salyer^{ID}, D. Sperka^{ID}, D. Spitzbart^{ID}, I. Suarez^{ID}, A. Tsatsos^{ID}, A.G. Zecchinelli^{ID}

Boston University, Boston, MA, USA

G. Benelli^{ID}, D. Cutts^{ID}, L. Gouskos^{ID}, M. Hadley^{ID}, U. Heintz^{ID}, J.M. Hogan^{ID},⁸⁴ T. Kwon^{ID}, G. Landsberg^{ID}, K.T. Lau^{ID}, D. Li^{ID}, J. Luo^{ID}, S. Mondal^{ID}, M. Narain^{ID},[†] N. Pervan^{ID}, T. Russell, S. Sagir^{ID},⁸⁵ F. Simpson^{ID}, M. Stamenkovic^{ID}, N. Venkatasubramanian, X. Yan^{ID}

Brown University, Providence, RI, USA

S. Abbott^{ID}, C. Brainerd^{ID}, R. Breedon^{ID}, H. Cai^{ID}, M. Calderon De La Barca Sanchez^{ID}, M. Chertok^{ID}, M. Citron^{ID}, J. Conway^{ID}, P.T. Cox^{ID}, R. Erbacher^{ID}, F. Jensen^{ID}, O. Kukral^{ID}, G. Mocellin^{ID}, M. Mulhearn^{ID}, S. Ostrom^{ID}, W. Wei^{ID}, Y. Yao^{ID}, S. Yoo^{ID}, F. Zhang^{ID}

University of California, Davis, Davis, CA, USA

M. Bachtis^{ID}, R. Cousins^{ID}, A. Datta^{ID}, G. Flores Avila^{ID}, J. Hauser^{ID}, M. Ignatenko^{ID}, M.A. Iqbal^{ID}, T. Lam^{ID}, E. Manca^{ID}, A. Nunez Del Prado, D. Saltzberg^{ID}, V. Valuev^{ID}

University of California, Los Angeles, CA, USA

R. Clare^{ID}, J.W. Gary^{ID}, M. Gordon, G. Hanson^{ID}, W. Si^{ID}

University of California, Riverside, Riverside, CA, USA

A. Aportela, A. Arora^{ID}, J.G. Branson^{ID}, S. Cittolin^{ID}, S. Cooperstein^{ID}, D. Diaz^{ID}, J. Duarte^{ID}, L. Giannini^{ID}, Y. Gu, J. Guiang^{ID}, R. Kansal^{ID}, V. Krutelyov^{ID}, R. Lee^{ID}, J. Letts^{ID}, M. Masciovecchio^{ID}, F. Mokhtar^{ID}, S. Mukherjee^{ID}, M. Pieri^{ID}, M. Quinnan^{ID}, B.V. Sathia Narayanan^{ID}, V. Sharma^{ID}, M. Tadel^{ID}, E. Vourliotis^{ID}, F. Würthwein^{ID}, Y. Xiang^{ID}, A. Yagil^{ID}

University of California, San Diego, La Jolla, CA, USA

A. Barzdukas^{ID}, L. Brennan^{ID}, C. Campagnari^{ID}, K. Downham^{ID}, C. Grieco^{ID}, J. Incandela^{ID}, J. Kim^{ID}, A.J. Li^{ID}, P. Masterson^{ID}, H. Mei^{ID}, J. Richman^{ID}, S.N. Santpur^{ID}, U. Sarica^{ID}, R. Schmitz^{ID}, F. Setti^{ID}, J. Sheplock^{ID}, D. Stuart^{ID}, T.Á. Vámi^{ID}, S. Wang^{ID}, D. Zhang

University of California, Santa Barbara - Department of Physics, Santa Barbara, CA, USA

A. Bornheim^{ID}, O. Cerri, A. Latorre, J. Mao^{ID}, H.B. Newman^{ID}, G. Reales Gutiérrez, M. Spiropulu^{ID}, J.R. Vlimant^{ID}, C. Wang^{ID}, S. Xie^{ID}, R.Y. Zhu^{ID}

California Institute of Technology, Pasadena, CA, USA

J. Alison^{ID}, S. An^{ID}, P. Bryant^{ID}, M. Cremonesi, V. Dutta^{ID}, T. Ferguson^{ID}, T.A. Gómez Espinosa^{ID}, A. Harilal^{ID}, A. Kallil Tharayil, C. Liu^{ID}, T. Mudholkar^{ID}, S. Murthy^{ID}, P. Palit^{ID}, K. Park, M. Paulini^{ID}, A. Roberts^{ID}, A. Sanchez^{ID}, W. Terrill^{ID}

Carnegie Mellon University, Pittsburgh, PA, USA

J.P. Cumalat^{ID}, W.T. Ford^{ID}, A. Hart^{ID}, A. Hassani^{ID}, G. Karathanasis^{ID}, N. Manganelli^{ID}, A. Perloff^{ID},
C. Savard^{ID}, N. Schonbeck^{ID}, K. Stenson^{ID}, K.A. Ulmer^{ID}, S.R. Wagner^{ID}, N. Zipper^{ID}, D. Zuolo^{ID}

University of Colorado Boulder, Boulder, CO, USA

J. Alexander^{ID}, S. Bright-Thonney^{ID}, X. Chen^{ID}, D.J. Cranshaw^{ID}, J. Fan^{ID}, X. Fan^{ID}, S. Hogan^{ID},
P. Kotamnives, J. Monroy^{ID}, M. Oshiro^{ID}, J.R. Patterson^{ID}, M. Reid^{ID}, A. Ryd^{ID}, J. Thom^{ID}, P. Wittich^{ID},
R. Zou^{ID}

Cornell University, Ithaca, NY, USA

M. Albrow^{ID}, M. Alyari^{ID}, O. Amram^{ID}, G. Apollinari^{ID}, A. Apresyan^{ID}, L.A.T. Bauerdick^{ID}, D. Berry^{ID},
J. Berryhill^{ID}, P.C. Bhat^{ID}, K. Burkett^{ID}, J.N. Butler^{ID}, A. Canepa^{ID}, G.B. Cerati^{ID}, H.W.K. Cheung^{ID},
F. Chlebana^{ID}, G. Cummings^{ID}, J. Dickinson^{ID}, I. Dutta^{ID}, V.D. Elvira^{ID}, Y. Feng^{ID}, J. Freeman^{ID},
A. Gandrakota^{ID}, Z. Gece^{ID}, L. Gray^{ID}, D. Green, A. Grummer^{ID}, S. Grünendahl^{ID}, D. Guerrero^{ID},
O. Gutsche^{ID}, R.M. Harris^{ID}, R. Heller^{ID}, T.C. Herwig^{ID}, J. Hirschauer^{ID}, B. Jayatilaka^{ID}, S. Jindariani^{ID},
M. Johnson^{ID}, U. Joshi^{ID}, T. Klijnsma^{ID}, B. Klima^{ID}, K.H.M. Kwok^{ID}, S. Lammel^{ID}, D. Lincoln^{ID},
R. Lipton^{ID}, T. Liu^{ID}, C. Madrid^{ID}, K. Maeshima^{ID}, C. Mantilla^{ID}, D. Mason^{ID}, P. McBride^{ID}, P. Merkel^{ID},
S. Mrenna^{ID}, S. Nahn^{ID}, J. Ngadiuba^{ID}, D. Noonan^{ID}, S. Norberg, V. Papadimitriou^{ID}, N. Pastika^{ID},
K. Pedro^{ID}, C. Pena^{ID},⁸⁶ F. Ravera^{ID}, A. Reinsvold Hall^{ID},⁸⁷ L. Ristori^{ID}, M. Safdari^{ID}, E. Sexton-Kennedy^{ID},
N. Smith^{ID}, A. Soha^{ID}, L. Spiegel^{ID}, S. Stoynev^{ID}, J. Strait^{ID}, L. Taylor^{ID}, S. Tkaczyk^{ID}, N.V. Tran^{ID},
L. Uplegger^{ID}, E.W. Vaandering^{ID}, I. Zoi^{ID}

Fermi National Accelerator Laboratory, Batavia, IL, USA

C. Aruta^{ID}, P. Avery^{ID}, D. Bourilkov^{ID}, P. Chang^{ID}, V. Cherepanov^{ID}, R.D. Field, E. Koenig^{ID}, M. Kolosova^{ID},
J. Konigsberg^{ID}, A. Korytov^{ID}, K. Matchev^{ID}, N. Menendez^{ID}, G. Mitselmakher^{ID}, K. Mohrman^{ID},
A. Muthirakalayil Madhu^{ID}, N. Rawal^{ID}, S. Rosenzweig^{ID}, Y. Takahashi^{ID}, J. Wang^{ID}

University of Florida, Gainesville, FL, USA

T. Adams^{ID}, A. Al Kadhim^{ID}, A. Askew^{ID}, S. Bower^{ID}, R. Habibullah^{ID}, V. Hagopian^{ID}, R. Hashmi^{ID},
R.S. Kim^{ID}, S. Kim^{ID}, T. Kolberg^{ID}, G. Martinez, H. Prosper^{ID}, P.R. Prova, M. Wulansatiti^{ID}, R. Yohay^{ID},
J. Zhang^{ID}

Florida State University, Tallahassee, FL, USA

B. Alsufyani^{ID}, M.M. Baarmand^{ID}, S. Butalla^{ID}, S. Das^{ID}, T. Elkafrawy^{ID},⁸⁸ M. Hohlmann^{ID}, M. Rahmani,
E. Yanes

Florida Institute of Technology, Melbourne, FL, USA

M.R. Adams^{ID}, A. Baty^{ID}, C. Bennett, R. Cavanaugh^{ID}, R. Escobar Franco^{ID}, O. Evdokimov^{ID}, C.E. Gerber^{ID},
M. Hawksworth, A. Hingrajiya, D.J. Hofman^{ID}, J.h. Lee^{ID}, D.S. Lemos^{ID}, A.H. Merrit^{ID}, C. Mills^{ID},
S. Nanda^{ID}, G. Oh^{ID}, B. Ozek^{ID}, D. Pilipovic^{ID}, R. Pradhan^{ID}, E. Prifti, T. Roy^{ID}, S. Rudrabhatla^{ID},
M.B. Tonjes^{ID}, N. Varelas^{ID}, M.A. Wadud^{ID}, Z. Ye^{ID}, J. Yoo^{ID}

University of Illinois Chicago, Chicago, IL, USA

M. Alhusseini^{ID}, D. Blend, K. Dilsiz^{ID},⁸⁹ L. Emediato^{ID}, G. Karaman^{ID}, O.K. Köseyan^{ID}, J.-P. Merlo,
A. Mestvirishvili^{ID},⁹⁰ O. Neogi, H. Ogul^{ID},⁹¹ Y. Onel^{ID}, A. Penzo^{ID}, C. Snyder, E. Tiras^{ID},⁹²

The University of Iowa, Iowa City, IA, USA

B. Blumenfeld^{ID}, L. Corcodilos^{ID}, J. Davis^{ID}, A.V. Gritsan^{ID}, L. Kang^{ID}, S. Kyriacou^{ID}, P. Maksimovic^{ID},
M. Roguljic^{ID}, J. Roskes^{ID}, S. Sekhar^{ID}, M. Swartz^{ID}

Johns Hopkins University, Baltimore, MD, USA

A. Abreu^{ID}, L.F. Alcerro Alcerro^{ID}, J. Anguiano^{ID}, S. Arteaga Escatel^{ID}, P. Baringer^{ID}, A. Bean^{ID},
Z. Flowers^{ID}, D. Grove^{ID}, J. King^{ID}, G. Krintiras^{ID}, M. Lazarovits^{ID}, C. Le Mahieu^{ID}, J. Marquez^{ID},
M. Murray^{ID}, M. Nickel^{ID}, M. Pitt^{ID}, S. Popescu^{ID},⁹³ C. Rogan^{ID}, C. Royon^{ID}, R. Salvatico^{ID}, S. Sanders^{ID},
C. Smith^{ID}, G. Wilson^{ID}

The University of Kansas, Lawrence, KS, USA

B. Allmond^{ID}, R. Gujju Gurunadha^{ID}, A. Ivanov^{ID}, K. Kaadze^{ID}, Y. Maravin^{ID}, J. Natoli^{ID}, D. Roy^{ID},
G. Sorrentino^{ID}

Kansas State University, Manhattan, KS, USA

A. Baden^{ID}, A. Belloni^{ID}, J. Bistany-riebman, Y.M. Chen^{ID}, S.C. Eno^{ID}, N.J. Hadley^{ID}, S. Jabeen^{ID},
R.G. Kellogg^{ID}, T. Koeth^{ID}, B. Kronheim, Y. Lai^{ID}, S. Lascio^{ID}, A.C. Mignerey^{ID}, S. Nabili^{ID}, C. Palmer^{ID},
C. Papageorgakis^{ID}, M.M. Paranjpe, L. Wang^{ID}

University of Maryland, College Park, MD, USA

J. Bendavid^{ID}, I.A. Cali^{ID}, P.c. Chou^{ID}, M. D'Alfonso^{ID}, J. Eysermans^{ID}, C. Freer^{ID}, G. Gomez-Ceballos^{ID},
M. Goncharov, G. Grosso, P. Harris, D. Hoang, D. Kovalskyi^{ID}, J. Krupa^{ID}, L. Lavezzo^{ID}, Y.-J. Lee^{ID},
K. Long^{ID}, C. McGinn^{ID}, A. Novak^{ID}, M.I. Park^{ID}, C. Paus^{ID}, C. Roland^{ID}, G. Roland^{ID}, S. Rothman^{ID},
G.S.F. Stephens^{ID}, Z. Wang^{ID}, B. Wyslouch^{ID}, T.J. Yang^{ID}

Massachusetts Institute of Technology, Cambridge, MA, USA

B. Crossman^{ID}, B.M. Joshi^{ID}, C. Kapsiak^{ID}, M. Krohn^{ID}, D. Mahon^{ID}, J. Mans^{ID}, B. Marzocchi^{ID},
M. Revering^{ID}, R. Rusack^{ID}, R. Saradhy^{ID}, N. Strobbe^{ID}

University of Minnesota, Minneapolis, MN, USA

K. Bloom^{ID}, D.R. Claes^{ID}, G. Haza^{ID}, J. Hossain^{ID}, C. Joo^{ID}, I. Kravchenko^{ID}, J.E. Siado^{ID}, W. Tabb^{ID},
A. Vagnerini^{ID}, A. Wightman^{ID}, F. Yan^{ID}, D. Yu^{ID}

University of Nebraska-Lincoln, Lincoln, NE, USA

H. Bandyopadhyay^{ID}, L. Hay^{ID}, H.w. Hsia^{ID}, I. Iashvili^{ID}, A. Kalogeropoulos^{ID}, A. Kharchilava^{ID},
M. Morris^{ID}, D. Nguyen^{ID}, S. Rappoccio^{ID}, H. Rejeb Sfar, A. Williams^{ID}, P. Young^{ID}

State University of New York at Buffalo, Buffalo, NY, USA

G. Alverson^{ID}, E. Barberis^{ID}, J. Bonilla^{ID}, J. Dervan^{ID}, Y. Haddad^{ID}, Y. Han^{ID}, A. Krishna^{ID}, J. Li^{ID},
M. Lu^{ID}, G. Madigan^{ID}, R. McCarthy^{ID}, D.M. Morse^{ID}, V. Nguyen^{ID}, T. Orimoto^{ID}, A. Parker^{ID},
L. Skinnari^{ID}, D. Wood^{ID}

Northeastern University, Boston, MA, USA

J. Bueghly, S. Dittmer^{ID}, K.A. Hahn^{ID}, Y. Liu^{ID}, Y. Miao^{ID}, D.G. Monk^{ID}, M.H. Schmitt^{ID}, A. Taliencio^{ID},
M. Velasco

Northwestern University, Evanston, IL, USA

G. Agarwal^{ID}, R. Band^{ID}, R. Bucci, S. Castells^{ID}, A. Das^{ID}, R. Goldouzian^{ID}, M. Hildreth^{ID}, K.W. Ho^{ID},
K. Hurtado Anampa^{ID}, T. Ivanov^{ID}, C. Jessop^{ID}, K. Lannon^{ID}, J. Lawrence^{ID}, N. Loukas^{ID}, L. Lutton^{ID},

J. Mariano, N. Marinelli, I. Mcalister, T. McCauley^{ID}, C. Mcgrady^{ID}, C. Moore^{ID}, Y. Musienko^{ID,17},
H. Nelson^{ID}, M. Osherson^{ID}, A. Piccinelli^{ID}, R. Ruchti^{ID}, A. Townsend^{ID}, Y. Wan, M. Wayne^{ID}, H. Yockey,
M. Zarucki^{ID}, L. Zygala^{ID}

University of Notre Dame, Notre Dame, IN, USA

A. Basnet^{ID}, B. Bylsma, M. Carrigan^{ID}, L.S. Durkin^{ID}, C. Hill^{ID}, M. Joyce^{ID}, M. Nunez Ornelas^{ID}, K. Wei,
B.L. Winer^{ID}, B.R. Yates^{ID}

The Ohio State University, Columbus, OH, USA

H. Bouchamaoui^{ID}, P. Das^{ID}, G. Dezoort^{ID}, P. Elmer^{ID}, A. Frankenthal^{ID}, B. Greenberg^{ID}, N. Haubrich^{ID},
K. Kennedy, G. Kopp^{ID}, S. Kwan^{ID}, D. Lange^{ID}, A. Loeliger^{ID}, D. Marlow^{ID}, I. Ojalvo^{ID}, J. Olsen^{ID},
A. Shevelev^{ID}, D. Stickland^{ID}, C. Tully^{ID}

Princeton University, Princeton, NJ, USA

S. Malik^{ID}

University of Puerto Rico, Mayaguez, PR, USA

A.S. Bakshi^{ID}, S. Chandra^{ID}, R. Chawla^{ID}, A. Gu^{ID}, L. Gutay, M. Jones^{ID}, A.W. Jung^{ID}, A.M. Koshy, M. Liu^{ID},
G. Negro^{ID}, N. Neumeister^{ID}, G. Paspalaki^{ID}, S. Piperov^{ID}, V. Scheurer, J.F. Schulte^{ID}, M. Stojanovic^{ID},
J. Thieman^{ID}, A.K. Virdi^{ID}, F. Wang^{ID}, W. Xie^{ID}

Purdue University, West Lafayette, IN, USA

J. Dolen^{ID}, N. Parashar^{ID}, A. Pathak^{ID}

Purdue University Northwest, Hammond, IN, USA

D. Acosta^{ID}, T. Carnahan^{ID}, K.M. Ecklund^{ID}, P.J. Fernández Manteca^{ID}, S. Freed, P. Gardner, F.J.M. Geurts^{ID},
W. Li^{ID}, J. Lin^{ID}, O. Miguel Colin^{ID}, B.P. Padley^{ID}, R. Redjimi, J. Rotter^{ID}, E. Yigitbasi^{ID}, Y. Zhang^{ID}

Rice University, Houston, TX, USA

A. Bodek^{ID}, P. de Barbaro^{ID}, R. Demina^{ID}, J.L. Dulemba^{ID}, A. Garcia-Bellido^{ID}, O. Hindrichs^{ID},
A. Khukhunaishvili^{ID}, N. Parmar^{ID}, P. Parygin^{ID,94}, E. Popova^{ID,94}, R. Taus^{ID}

University of Rochester, Rochester, NY, USA

B. Chiarito, J.P. Chou^{ID}, S.V. Clark^{ID}, D. Gadkari^{ID}, Y. Gershtein^{ID}, E. Halkiadakis^{ID}, M. Heindl^{ID},
C. Houghton^{ID}, D. Jaroslawski^{ID}, S. Konstantinou^{ID}, I. Laflotte^{ID}, A. Lath^{ID}, R. Montalvo, K. Nash,
J. Reichert^{ID}, H. Routray^{ID}, P. Saha^{ID}, S. Salur^{ID}, S. Schnetzer, S. Somalwar^{ID}, R. Stone^{ID}, S.A. Thayil^{ID},
S. Thomas, J. Vora^{ID}, H. Wang^{ID}

Rutgers, The State University of New Jersey, Piscataway, NJ, USA

D. Ally^{ID}, A.G. Delannoy^{ID}, S. Fiorendi^{ID}, S. Higginbotham^{ID}, T. Holmes^{ID}, A.R. Kanuganti^{ID},
N. Karunarathna^{ID}, L. Lee^{ID}, E. Nibigira^{ID}, S. Spanier^{ID}

University of Tennessee, Knoxville, TN, USA

D. Aebi^{ID}, M. Ahmad^{ID}, T. Akhter^{ID}, O. Bouhali^{ID,95}, R. Eusebi^{ID}, J. Gilmore^{ID}, T. Huang^{ID}, T. Kamon^{ID,96},
H. Kim^{ID}, S. Luo^{ID}, R. Mueller^{ID}, D. Overton^{ID}, D. Rathjens^{ID}, A. Safonov^{ID}

Texas A&M University, College Station, TX, USA

N. Akchurin^{ID}, J. Damgov^{ID}, N. Gogate^{ID}, V. Hegde^{ID}, A. Hussain^{ID}, Y. Kazhykarim, K. Lamichhane^{ID},
S.W. Lee^{ID}, A. Mankel^{ID}, T. Peltola^{ID}, I. Volobouev^{ID}

Texas Tech University, Lubbock, TX, USA

E. Appelt^{ID}, Y. Chen^{ID}, S. Greene, A. Gurrola^{ID}, W. Johns^{ID}, R. Kunnawalkam Elayavalli^{ID}, A. Melo^{ID},
F. Romeo^{ID}, P. Sheldon^{ID}, S. Tuo^{ID}, J. Velkovska^{ID}, J. Viinikainen^{ID}

Vanderbilt University, Nashville, TN, USA

B. Cardwell^{ID}, B. Cox^{ID}, J. Hakala^{ID}, R. Hirosky^{ID}, A. Ledovsky^{ID}, C. Neu^{ID}

University of Virginia, Charlottesville, VA, USA

S. Bhattacharya^{ID}, P.E. Karchin^{ID}

Wayne State University, Detroit, MI, USA

A. Aravind^{ID}, S. Banerjee^{ID}, K. Black^{ID}, T. Bose^{ID}, S. Dasu^{ID}, I. De Bruyn^{ID}, P. Everaerts^{ID}, C. Galloni,
H. He^{ID}, M. Herndon^{ID}, A. Herve^{ID}, C.K. Koraka^{ID}, A. Lanaro, R. Loveless^{ID}, J. Madhusudanan Sreekala^{ID},
A. Mallampalli^{ID}, A. Mohammadi^{ID}, S. Mondal, G. Parida^{ID}, L. Pétré^{ID}, D. Pinna, A. Savin, V. Shang^{ID},
V. Sharma^{ID}, W.H. Smith^{ID}, D. Teague, H.F. Tsoi^{ID}, W. Vetens^{ID}, A. Warden^{ID}

University of Wisconsin - Madison, Madison, WI, USA

G. Gavrilo^{ID}, V. Golovtsov^{ID}, Y. Ivanov^{ID}, V. Kim^{ID,97}, P. Levchenko^{ID,98}, V. Murzin^{ID}, V. Oreshkin^{ID},
D. Sosnov^{ID}, V. Sulimov^{ID}, L. Uvarov^{ID}, A. Vorobyev[†]

Authors affiliated with an international laboratory covered by a cooperation agreement with CERN

S. Afanasiev^{ID}, V. Alexakhin^{ID}, D. Budkouski^{ID}, I. Golutvin^{ID,†}, I. Gorbunov^{ID}, V. Karjavine^{ID},
V. Korenkov^{ID}, A. Lanev^{ID}, A. Malakhov^{ID}, V. Matveev^{ID,97}, V. Palichik^{ID}, V. Perelygin^{ID}, M. Savina^{ID},
V. Shalaev^{ID}, S. Shmatov^{ID}, S. Shulha^{ID}, V. Smirnov^{ID}, O. Teryaev^{ID}, N. Voytishin^{ID}, B.S. Yuldashev⁹⁹,
A. Zarubin^{ID}, I. Zhizhin^{ID}, Yu. Andreev^{ID}, A. Dermenev^{ID}, S. Gninenko^{ID}, N. Golubev^{ID}, A. Karneyeu^{ID},
D. Kirpichnikov^{ID}, M. Kirsanov^{ID}, N. Krasnikov^{ID}, I. Tlisova^{ID}, A. Toropin^{ID}, T. Aushev^{ID}, V. Gavrilo^{ID},
N. Lychkovskaya^{ID}, A. Nikitenko^{ID,100,101}, V. Popov^{ID}, A. Zhokin^{ID}, M. Chadeeva^{ID,97}, R. Chistov^{ID,97},
S. Polikarpov^{ID,97}, V. Andreev^{ID}, M. Azarkin^{ID}, M. Kirakosyan, A. Terkulov^{ID}, E. Boos^{ID}, V. Bunichev^{ID},
M. Dubinin^{ID,86}, L. Dudko^{ID}, V. Klyukhin^{ID}, O. Kodolova^{ID,101}, O. Lukina^{ID}, S. Obraztsov^{ID}, M. Perfilov^{ID},
V. Savrin^{ID}, A. Snigirev^{ID}, G. Vorotnikov^{ID}, V. Blinov⁹⁷, T. Dimova^{ID,97}, A. Kozyrev^{ID,97}, O. Radchenko^{ID,97},
Y. Skovpen^{ID,97}, V. Kachanov^{ID}, D. Konstantinov^{ID}, S. Slabospitskii^{ID}, A. Uzunian^{ID}, A. Babaev^{ID},
V. Borshch^{ID}, D. Druzhkin^{ID,102}, V. Chekhovsky, V. Makarenko^{ID}

Authors affiliated with an institute formerly covered by a cooperation agreement with CERN

[†] Deceased.

¹ Also at Yerevan State University, Yerevan, Armenia.

² Also at TU Wien, Vienna, Austria.

³ Also at Institute of Basic and Applied Sciences, Faculty of Engineering, Arab Academy for Science, Technology and Maritime Transport, Alexandria, Egypt.

⁴ Also at Ghent University, Ghent, Belgium.

⁵ Also at Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil.

⁶ Also at Universidade Estadual de Campinas, Campinas, Brazil.

⁷ Also at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.

⁸ Also at UFMS, Nova Andradina, Brazil.

⁹ Also at Nanjing Normal University, Nanjing, China.

¹⁰ Now at The University of Iowa, Iowa City, Iowa, USA.

¹¹ Also at University of Chinese Academy of Sciences, Beijing, China.

¹² Also at China Center of Advanced Science and Technology, Beijing, China.

¹³ Also at University of Chinese Academy of Sciences, Beijing, China.

- ¹⁴ Also at China Spallation Neutron Source, Guangdong, China.
- ¹⁵ Now at Henan Normal University, Xinxiang, China.
- ¹⁶ Also at Université Libre de Bruxelles, Bruxelles, Belgium.
- ¹⁷ Also at an institute formerly covered by a cooperation agreement with CERN.
- ¹⁸ Also at Helwan University, Cairo, Egypt.
- ¹⁹ Now at Zewail City of Science and Technology, Zewail, Egypt.
- ²⁰ Now at British University in Egypt, Cairo, Egypt.
- ²¹ Now at Cairo University, Cairo, Egypt.
- ²² Also at Purdue University, West Lafayette, Indiana, USA.
- ²³ Also at Université de Haute Alsace, Mulhouse, France.
- ²⁴ Also at Istinye University, Istanbul, Turkey.
- ²⁵ Also at Ilia State University, Tbilisi, Georgia.
- ²⁶ Also at The University of the State of Amazonas, Manaus, Brazil.
- ²⁷ Also at University of Hamburg, Hamburg, Germany.
- ²⁸ Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.
- ²⁹ Also at Bergische University Wuppertal (BUW), Wuppertal, Germany.
- ³⁰ Also at Brandenburg University of Technology, Cottbus, Germany.
- ³¹ Also at Forschungszentrum Jülich, Juelich, Germany.
- ³² Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland.
- ³³ Also at HUN-REN ATOMKI - Institute of Nuclear Research, Debrecen, Hungary.
- ³⁴ Now at Universitatea Babes-Bolyai - Facultatea de Fizica, Cluj-Napoca, Romania.
- ³⁵ Also at MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary.
- ³⁶ Also at HUN-REN Wigner Research Centre for Physics, Budapest, Hungary.
- ³⁷ Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt.
- ³⁸ Also at Punjab Agricultural University, Ludhiana, India.
- ³⁹ Also at University of Visva-Bharati, Santiniketan, India.
- ⁴⁰ Also at Indian Institute of Science (IISc), Bangalore, India.
- ⁴¹ Also at IIT Bhubaneswar, Bhubaneswar, India.
- ⁴² Also at Institute of Physics, Bhubaneswar, India.
- ⁴³ Also at University of Hyderabad, Hyderabad, India.
- ⁴⁴ Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany.
- ⁴⁵ Also at Isfahan University of Technology, Isfahan, Iran.
- ⁴⁶ Also at Sharif University of Technology, Tehran, Iran.
- ⁴⁷ Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran.
- ⁴⁸ Also at Department of Physics, Isfahan University of Technology, Isfahan, Iran.
- ⁴⁹ Also at Department of Physics, Faculty of Science, Arak University, ARAK, Iran.
- ⁵⁰ Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.
- ⁵¹ Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy.
- ⁵² Also at Università degli Studi Guglielmo Marconi, Roma, Italy.
- ⁵³ Also at Scuola Superiore Meridionale, Università di Napoli 'Federico II', Napoli, Italy.
- ⁵⁴ Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA.
- ⁵⁵ Also at Laboratori Nazionali di Legnaro dell'INFN, Legnaro, Italy.
- ⁵⁶ Also at Consiglio Nazionale delle Ricerche - Istituto Officina dei Materiali, Perugia, Italy.
- ⁵⁷ Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia.
- ⁵⁸ Also at Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico.
- ⁵⁹ Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka.
- ⁶⁰ Also at Saegis Campus, Nugegoda, Sri Lanka.
- ⁶¹ Also at National and Kapodistrian University of Athens, Athens, Greece.
- ⁶² Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland.
- ⁶³ Also at Universität Zürich, Zurich, Switzerland.
- ⁶⁴ Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.
- ⁶⁵ Also at Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France.
- ⁶⁶ Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey.
- ⁶⁷ Also at Konya Technical University, Konya, Turkey.
- ⁶⁸ Also at Izmir Bakircay University, Izmir, Turkey.
- ⁶⁹ Also at Adiyaman University, Adiyaman, Turkey.
- ⁷⁰ Also at Bozok Universitetesi Rektörlüğü, Yozgat, Turkey.
- ⁷¹ Also at Marmara University, Istanbul, Turkey.
- ⁷² Also at Milli Savunma University, Istanbul, Turkey.
- ⁷³ Also at Kafkas University, Kars, Turkey.
- ⁷⁴ Now at Istanbul Okan University, Istanbul, Turkey.
- ⁷⁵ Also at Hacettepe University, Ankara, Turkey.
- ⁷⁶ Also at Erzincan Binali Yildirim University, Erzincan, Turkey.
- ⁷⁷ Also at Istanbul University - Cerrahpasa, Faculty of Engineering, Istanbul, Turkey.
- ⁷⁸ Also at Yildiz Technical University, Istanbul, Turkey.
- ⁷⁹ Also at Vrije Universiteit Brussel, Brussel, Belgium.
- ⁸⁰ Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ⁸¹ Also at IPPP Durham University, Durham, United Kingdom.
- ⁸² Also at Monash University, Faculty of Science, Clayton, Australia.
- ⁸³ Also at Università di Torino, Torino, Italy.

⁸⁴ Also at Bethel University, St. Paul, Minnesota, USA.

⁸⁵ Also at Karamanoglu Mehmetbey University, Karaman, Turkey.

⁸⁶ Also at California Institute of Technology, Pasadena, California, USA.

⁸⁷ Also at United States Naval Academy, Annapolis, Maryland, USA.

⁸⁸ Also at Ain Shams University, Cairo, Egypt.

⁸⁹ Also at Bingol University, Bingol, Turkey.

⁹⁰ Also at Georgian Technical University, Tbilisi, Georgia.

⁹¹ Also at Sinop University, Sinop, Turkey.

⁹² Also at Erciyes University, Kayseri, Turkey.

⁹³ Also at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania.

⁹⁴ Now at another institute formerly covered by a cooperation agreement with CERN.

⁹⁵ Also at Texas A&M University at Qatar, Doha, Qatar.

⁹⁶ Also at Kyungpook National University, Daegu, Korea.

⁹⁷ Also at another institute formerly covered by a cooperation agreement with CERN.

⁹⁸ Also at Northeastern University, Boston, Massachusetts, USA.

⁹⁹ Also at Institute of Nuclear Physics of the Uzbekistan Academy of Sciences, Tashkent, Uzbekistan.

¹⁰⁰ Also at Imperial College, London, United Kingdom.

¹⁰¹ Now at Yerevan Physics Institute, Yerevan, Armenia.

¹⁰² Also at Universiteit Antwerpen, Antwerpen, Belgium.